

**goldbright**  
DESIGN BY GERMANY



LEADER MANUFACTURER OF  
PRO ENTERTAINMENT LIGHTING TECHNOLOGY



# PROFESSIONAL LIGHTING SOLUTION



## Contents ■

LED VIDEO CURTAIN 9CM PITCH	P1	LED PANEL 216/LED PANEL 336	P13
LED VIDEO CURTAIN 18.5CM PITCH	P2	LED INTERACTIVE DANCING FLOOR	P13
LED STAR CLOTH CURTAIN	P3	LED DERBY EFFECTS	P14
LED TUBE DMX	P4	LED MUSHROOM, LED STAR BALL, LED TRI SCANNER	P15
LED FLEXIBLE STRIP	P4	LED WATER LIGHT, GOBO LIGHT, CENTRE LIGHT	P16
LED MOVING HEAD WASH 30W/60W	P5	LED MULTIEFX LIGHT	P16
LED MOVING HEAD WASH 120W/350W	P5	LED FLAME LIGHT, LED DISCO BANK, SCAN FLOWERS	P17
LED ZOOM COLOR MOVING HEAD	P5	LED MOON FLOWER, LED MATRIX FLOWER	P18
ELC 250W MOVING HEAD SPOT	P5	LED DUAL FLOWER, DUAL SCANNER, LED SCAN FLOWER	P19
LED MOVING HEAD SPOT 15W/30W/60W	P6	LED PARTY MOON FLOWER, LED PIXEL FLOWER	P20
100W LED MOVING HEAD SPOT	P6	LED PAR OUTDOOR (IP 65)	P21
ELC 250W DJ SCANNER / BARREL	P6	LED PAR ZOOM	P21
LED DJ SCANNER 20W/60W	P6	LED ETC PAR (RGB / RGBW / RGBWA / TRI 3-in-1)	P22
LED COLOR BAR 288 / 252 (LOW POWER LEDs)	P7	LED PAR 64 (RGB / RGBW / RGBWA / TRI 3-in-1)	P23
LED TRI COLOR BAR 12 / 18 (3W TRI 3-in-1)	P7	LED PAR 36, PAR38, PAR56, PAR64 low power par	P24
LED COLOR BAR 304 / 608 (LOW POWER LEDs)	P8	LED PAR KIT 4 X 108 ; LED PAR KIT 4 X 7 TRI	P25
LED COLOR BAR 48 / 96 (HIGH POWER RGB LEDs)	P8	LED THIN PAR 56, THIN PAR 64, HIGH POWER PAR36	P25
LED WASH 40W / 120W / 380W (HIGH POWER RGB LEDs)	P9	LED PAR 36UV, PAR 64UV, 252UV BAR	P26
LED CITY COLOR 150W/450W	P9	LED 216 UV PANEL, 336 UV PANEL	P26
LED WALL WASHER 24W / 36W/80W/120W	P10	LED WASH UV 24W, 36W HIGH POWER LEDs	P26
LED RGBAW 5 COLOR WASH 45W / 90W	P10	FOG MACHINE 400W, 800W, 1200W, 1500W, 3000W	P27
LED TRI 3-IN-1 COLOR WASH 16 / 48	P11	INTELLIGENT FOG MACHINE, ICE LOW FOG MACHINE	P28
LED BLINDER 48W / 96W / 150W / 300W	P11	VERTICAL FOG MACHINE	P27, P28
LED PANEL 648S / LED PANEL 648L	P11	HAZE MACHINE, EFFECT MACHINE, INTELLIGENT MACHINE	P29
LED DANCING FLOOR	P12	BUBBLE, SNOW FLACK, CONFETTI MACHINE	P30
LED COLOR STROBE 252 / 260 / 477	P12	STROBE 20W, 75W COLOR STROBE	P31
	P12	XENON 750W, 1500W, 3000W DMX STROBE	P31
	P12	LED MINI PARTY STROBE 24	P31
	P12	PEARL 2010 PROFESSIONAL DMX CONTROLLER	P32
	P13	DISCO 192, DISCO 384 EASY USED CONTROLLER	P32



Leader Manufacturer

Of Pro Entertainment Lighting Technology

**INTEGRITY PROFESSIONALISM**  
**SERVICE EFFICIENCY**  
**INNOVATION**

## Company Introduction

"Guangzhou Ever Famous Electronic Co., Ltd" (goldbright lighting factory) founded in 2005, at Guangzhou, China. "goldbright" is our brand. Our company is a professional manufacturer of entertainment lighting and special effects equipment. We researching technique in this field all the time. During this period, we supply the OEM and ODM to some famous companies all over the world. Meanwhile We have got much experience from our client of Europe and America. We have acquired many requirements of our products from them as well.

Now, more than 90% of our products export to overseas market, our factory have 3000 square meters, 6 long produce lines, QC test workshop, we have more than 50 employees, R&D 4 engineers, Some of project cooperation with professional design company, We have own IQC, QC, QA control the quality in our factory. We accept the Specialized company (as SGS, BV company etc) which the customer assigns to come the factory examination. factory examination. We strictly implement ISO9001: 2000 quality management system. and carefully do by "7S" (SEIRI, SEITON, SEISO, SEIKETSU, SHITSUKE, SAFETY, SAVE) etc management methods.

In two years, we want to become a member of the largest pro entertainment lighting and special effects manufacturer in China, in five years we want to become a member of the strongest pro entertainment lighting and special effects manufacturer in China.

In the future, We will put more our efforts on product innovation and design, lean production, so provide the best value to our business partner.

Our products are suitable for various entertainment and recreation place, such as Disco club, DJ Bar, secondary stage, TV showroom, multimedia hall, show square, organ hall, recreational city, KTV, home party and so on.

Main products: LED par lights, LED disco lights, LED tubes, LED wall washer, LED star curtain, led video curtain, LED moon flower, LED bar lights, Stage Lighting, Moving Heads, Special effects machine (as fog machine, haze machine, Bubble machine, Snowflake machine, Flame effects, Foam machine, confetti machine, fire machine etc), DJ Scanners, Laser Lights, Strobe Lights, Halogen Disco lights, Dmx Controller, Some Architectural lighting and so on.

Hi, our friends. Goldbright are ready!!!

**OEM SERVICE , DESIGN SERVICE, BUYER LABEL OFFERED**

# LED VIDEO CURTAIN (9 CM PITCH)



## GM026

### 2X3m LED VIDEO STAR CLOTH CURTAIN (9cm pitch)

Our new kind of led video star cloth curtain with multiple effects; it can be flexible, easy installation, easy used, easy transportation, Great backdrop for Mobile DJ's clubs, ballrooms, bands, showbars and more. LED Video Curtains are the perfect solution for all advertising and entertaining purposes. Patterns, text and low resolution graphics are all possible

#### Control System includes:

LED Video Curtain - Hanging tabs on 3 sides -  
Heavy duty carry bag - Controller  
LCD screen in the controller  
SD/DMX control/sound active/automatic,  
more beautiful effects included and amazing  
stand alone programs and speed adjustment  
wireless controller include  
Connect PC controlled  
Fire retardant material

#### Specifications:





Voltage: 90 to 260VAC/50-60Hz  
Power consumption: 40W  
DMX channels: 8  
Cloth Dimensions: 3 x 2m (or) 2 x 3m  
Color: RGB  
Pitch: 90mm  
Pixel Density: 121 Dots/sq.m  
Light source: 726 Incredibly bright Tri colour LEDs  
Dimensions: L480 X W300 X H290mm  
Weight: 11kg

#### Included:

1\*RGB LED, 2 x 3m LED video star cloth curtain  
1\*Controller  
1\*Three-pin power cable  
1\*Four-pin controller cable

242pcs (11x22 pixel, 1 x 2m); 363pcs (11x33 pixel, 1 x 3m);  
968pcs (22x44 pixel, 2 x 4m); 1452pcs (33x44 pixel, 3 x 4m);  
2904pcs (44x66 pixel, 4 x 6m); 5808pcs (66x88 pixel, 6 x 8m)

We have provide different DIMENSIONS and different PITCH for your request.





# LED VIDEO CURTAIN (18.5CM PITCH)



## GM026

### 2X3m LED VIDEO STAR CLOTH CURTAIN (18.5cm pitch)

Our new kind of led video star cloth curtain with multiple effects; it can be flexible, easy installation, easy used, easy transportation, Great back drop for Mobile DJ's clubs, ballrooms, bands, show bars and more. LED Video Curtains are the perfect solution for all advertising and entertaining purposes. Patterns, text and low resolution graphics are all possible

#### Control System includes:

LED Video Curtain - Hanging tabs on 3 sides -  
Heavy duty carry bag - Controller  
LCD screen in the controller  
SD/DMX control/sound active/automatic,  
more beautiful effects included and amazing  
stand alone programs and speed adjustment  
wireless controller include  
Connect PC controlled  
Fire retardant material

#### Specifications:






Voltage: 90 to 260VAC/50-60Hz  
Power consumption: 40W  
DMX channels: 8  
Cloth Dimensions: 3 x 2m (or) 2 x 3m  
Color: RGB  
Pitch: 185mm  
Pixel Density: 30 Dots/sq.m  
Light source: 176 Incredibly bright Tri colour LEDs  
Dimensions: L480 X W300 X H290mm  
Weight: 9kg

#### Included:


1\*RGB LED, 2 x 3m LED video star cloth curtain  
1\*Controller  
1\*Three-pin power cable  
1\*Four-pin controller cable

66pcs (6x11 pixel, 1 x 2m); 102pcs (6x17 pixel, 1 x 3m);  
242pcs (11x22 pixel, 2 x 4m); 352pcs (16x22 pixel, 3 x 4m);  
704pcs (22x32 pixel, 4 x 6m); 1408pcs (32x44 pixel, 6 x 8m)

We have provided different DIMENSIONS and different PITCH for your request



# LED STAR CLOTH CURTAIN



## GM026 2 x 3m

### LED STAR CLOTH CURTAIN

#### Features:

7 or 9 channel DMX-512 led star cloth curtain Built-in automated programs via stand alone mode by MenuButton Built-in sound activated programs via sound activated, Master/slave Individual control of red, green and blue LEDs plus white (RGBW), or plus Amber (RGBWA) 0—100% strobe; 0—100% dimmer via DMX mode RGB, macros, run/strobe speed, automatic/sound, dimmer Static colors and RGB color mixing with or without DMX controller Color gradual change/color jump change/strobe, running speed adjustment 4 Digit Digital LED Display Rich color great for Club, mobile DJ's, Home party, Ballroom, Bands, Show bar etc.

#### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 30W  
Color: RGB (single RED, BLUE, GREEN, AMBER, BRIGHT; MIXER COLOR CAN SELECT)  
Light source: 108 Incredibly bright Tri colour LEDs chips from Taiwan or USA  
Bulb life: 6-10 million hours Dimensions: L480 X W300 X H290mm Weight: 7.5kg

#### Included:

- 1\*RGB LED, 2 x 3m LED star cloth curtain
- 1\*Controller
- 1\*Three-pin power cable
- 1\*Four-pin controller cable

36pcs (1 x 2m); 54pcs (1 x 3m); 144pcs (2 x 4m); 216pcs (3 x 4m); 432pcs (4 x 6m); 864pcs (6 x 8m)

We have provide different DIMENSIONS, different COLOR BACKDROP and different DOT/sq.m for your request.





## GM006 DMX LED TUBE

### Features:

Highly intelligent product is especially suitable for walls of high buildings and large mansions, and high-class entertainment places, the effect can be set up at anytime. LED column tube: Most effective lamps, specially designed for outline decoration of mansions, hotels, and bridges. Super bright LED light source, PC tube material, ultraviolet radiation proof, aging proof, waterproof, and damp proof. Wonderful colors, running water scanning and many various effects. And it can be designed by the clients demand.

4 Channel DMX512 input function With 258 Kinds multi effects  
With 29 kinds of single adjustable moving mode  
Lineable MAX 4000 PCS LED tube Stand alone mode, speed adjustable.  
Controller low voltage input Control system with Black, Static Red, Static Green, Static Yellow, Static Blue, Static Purple, Static Cyan, Static White, Color Change, Slow Flow 1, Slow Flow 2, Roll Chase 1, Roll Chase 2, Multi Color, Fast Flow 1, Fast Flow 2, 2 Color Chase, 2 Color Flow, Color Fade, Auto Run  
Manual Controller with 4 button LCD display include  
Waterproof IP65

### Specifications:

Voltage: AC110-220V/50-60Hz  
Power: 15w Controller Work Voltage: DC 9V-12V  
Operating temperature: -20°C ~ 45°C Protection Level: IP65  
Light sources: 144 pcs 5mm ultra brightness leds  
Dimensions: L1120 X W540 X H540mm/30pcs tube  
Weight: 42kg Dimensions: L230 X W220 X H65mm/Controller  
Weight: 1.05kg

## GM006A LED PIXEL TUBE

### Features:

LED digital full-color tube is a controllable linear light source for indoor and outdoor use. It applies 144 pieces of super-bright LED, making less optical attenuation and higher stability. The light transmitting shell uses milky or transparent tube, getting large light emitting angle and good mixing color. The high-strength aluminum base ensures reliable, simple, and fast installation. There are offline or online control mode for choice, making it easy to show diversified full-color effect and dynamic video or graphics.

For offline control, it utilizes goldbright special light programming software to edit lighting patterns. It's convenient to change lighting patterns by simply copying the edited format file of pattern into the CF card. Flexible control system and optional installation configuration can meet various and complex project requirements.

For online control, the deep gray real time control can realize synchronized video display and timing broadcast information. The whole digital tube system applies highly reliable male & female plug, which is easy and quick to connect. With unique appearance design and brand-new outdoor waterproof structure, it is widely applied as curtain wall, stage lighting, decorative lighting in recreational sights, building outline lighting, bridge lighting, etc.

### Specifications:

Working Voltage: DC24V Power: < 12 W/m Pixel Configuration: 48R+48G+48B  
Gray Scale: 12 bit/R, G, B Luminous Flux Value: 240 lm Viewing Angle: H 140° / V 80°  
Refresh Frequency: ≥ 240 Hz (online) Drive Mode: Static constant current Ambient Temperature: -35° ~ 55°  
Relative Humidity: 10% ~ 90% Tenure Life: > 50,000 hours Pixel Pitch: 125 mm  
Unit Size: 50 × 1000 mm Protection Level: IP65




## SMD5050 LED FLEXIBLE STRIP 150/300

### Features:

Full range of emitting color: red, green, blue, yellow, warm white, pure white, RGB Easy installation: the strip is with 3M adhesive tape on backside, clips attached for waterproof strips and you can cut every 3 leds to reach the exact length when necessary. The strip lights are dimmable, and RGB strip can change colors with controller. Long lifespan, save energy and maintenance costs.

### Specifications:

Light source: SMD5050 150/300 LEDs per 5 M Waterproof: IP67 Operating Voltage: DC12V Emitting color: red, green, blue, yellow, warm white (3000-4500K), pure white (5000-6500K), cold white (7000-9000K) Viewing angle: 120 degrees 3M adhesive tape in backside, every 3 leds cuttable. Electrostatic Discharge: > 1500 V Operating Temperature: -25 ~ +60 °C Storage Temperature: -40 ~ +80 °C



# LED MOVING HEAD WASH



## GM105 LED MOVING HEAD WASH

**Features:**  
13 channels DMX-512 led moving head light  
Strobe: 1-20 times/second  
Dimmer: RGB 0—100% linear dimmer  
Color: RGB no polar color-mixed system.  
Control: DMX512, Auto, Sound Activated, Master/Slave  
Automatic model (stand alone) color change, colorstrobe,  
color dimmer, Color gradual change/color jump change  
Sound-controlled via built-in microphone  
Control-Board with 4-digit display  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat  
emission, defacto maintenance-free with brilliant light  
radiation.

**Specifications:**  
Voltage: AC 110/60Hz or 230V/50Hz Power: 50W/120W  
Lamp: 36pcs 1W/3W high brightness leds  
Pan: 540 Tilt: 280  
Carton: L260\*W260\*H350mm  
N.W: 7kg G.W: 8kg

LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA

## GM107 LED MOVING HEAD WASH

**Features:**  
4 or 12 channels DMX-512 led moving head light  
Strobe: 1-20 times/second  
Dimmer: RGB 0—100% linear dimmer  
Color: RGB no polar color-mixed system.  
Control: DMX512, Auto, Sound Activated, Master/Slave  
Automatic model (stand alone) color change, color  
strobe, color dimmer, Color gradual change/color  
jump change  
Sound-controlled via built-in microphone  
Control-Board with 4-digit display  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal  
heat emission, defacto maintenance free with brilliant  
light radiation

**Specifications:**  
Voltage: AC 110/60Hz or 230V/50Hz Power: 30W/60W  
Lamp: 18pcs 1W/3W high brightness leds  
Pan: 540 Tilt: 280  
Carton: L280\*W280\*H370mm  
N.W: 5kg G.W: 6kg

LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA

## GM165 LED FAIRY MOVING HEAD WASH

**Features:**  
13 channels DMX-512 led moving head light  
Strobe: 1-20 times/second  
Dimmer: RGB 0—100% linear dimmer  
Color: RGB no polar color-mixed system.  
Control: DMX512, Auto, Sound Activated, Master/Slave  
Automatic model (stand alone) color change, colorstrobe,  
color dimmer, Color gradual change/color jump change  
Sound-controlled via built-in microphone  
Pan: 540° /Tilt: 1:170° /Tilt-2: 170°  
Control-Board with 4-digit display  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat  
emission, defacto maintenance-free with brilliant light  
radiation.

**Specifications:**  
Voltage: AC 110/60Hz or 230V/50Hz Power: 50W/120W  
Lamp: 36pcs 1W/3W high brightness leds  
Carton: L255\*W255\*H450mm  
G.W: 8.5kg

LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA

## GM167 LED MOVING HEAD WASH

**Features:**  
High output RGBW led moving head wash  
4 dmx modes: 5, 8, 11, 13 channels can select  
Strobe: 1-20 times/second  
Dimmer: RGBW 0—100% linear dimmer  
Color: RGBW no polar color-mixed system.  
Control: DMX512, Auto, Sound Activated, Master/Slave  
Automatic model (stand alone) color change, colorstrobe,  
color dimmer, Color gradual change/color jump change  
Sound-controlled via built-in microphone  
Pan/Tilt fine, speed adjustable  
Manual control the balance  
Control-Board with LCD display  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat  
emission, defacto maintenance-free with brilliant light  
radiation.

**Specifications:**  
Voltage: AC 110-230V/50-60Hz Power: 120W/350W  
Lamp: 108pcs 1W/3W high brightness leds  
Pan: 540 Tilt: 280 Carton: L460\*W340\*H390mm  
N.W: 11kg G.W: 13kg



LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA

## GM170 ZOOM LED MOVING HEAD WASH

**Features:**  
High output RGB led moving head wash  
13 DMX channels  
Strobe: 1-20 times/second  
Dimmer: RGB 0/100% linear dimmer  
Color: RGB no polar color-mixed system.  
Control: DMX512, Auto, Sound Activated, Master/Slave  
Automatic model (stand alone) color change, colorstrobe,  
color dimmer, Color gradual change/color jump change  
Sound-controlled via built-in microphone  
Pan/Tilt fine, speed adjustable  
Manual control the balance  
Control-Board with LCD display  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat  
emission, defacto maintenance-free with brilliant light radiation.

**Specifications:**  
Voltage: AC 110-230V/50-60Hz Power: 120W/350W  
Lamp: 18pcs 1W/3W high brightness leds Pan: 540 Tilt: 280  
Carton: L255\*W255\*H445mm N.W: 7kg G.W: 7.5kg

LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA





# LED MOVING HEADS



## GA2011 ELC 250W MOVING HEAD SPOT

VOLTAGES: AC 100-120V/60Hz(America Type) AC 220-250V/50Hz(Europe Type)  
POWER CONSUMPTION: 300Watt  
LAMP: (include) PHILIPS ELC24V250W lamp  
Color Temperature: 3000oK Socket: GX 5.3  
Manufacturers Rated Lamp Life: 100 Hours  
COLORS: wheel with 11 fixed Diachronic colors plus white  
With variable speed bi-directional rainbow effect  
GOBOS: fixed gobo wheel  
14 fixed gobos + white, bi-directionally rotating at variable speeds.  
FOCUS: Manual focus  
LAMP ON/OFF: Lamp on/off by dmx controller  
HEAD MOVEMENT: Pan 540 degree, Tilt 270 degree.  
CONTROL: DMX512, 5 channels  
DIMENSIONS: L240\*W230\*H520MM  
WEIGHT: 13Kg



## GM106 15W LED MOVING HEAD SPOT

**FEATURES:**  
5 or 13-channel DMX512 LED moving yoke  
Pan: 540/ Tilt: 270 RGB color mixing  
Gobo wheel: 9 gobos + open Gobo wheel spine effect  
Variable electronic strobe Variable electronic dimmer(0 - 100%)  
Vector speed channel for pan/tilt, RGB color mixing and color macros  
Built-in movement macros via DMX  
Built-in automated programs via master/slave  
Built-in sound activated programs via master/slave  
User-selectable basic or advanced operating modes  
User-selectable pan/tilt ranges  
Pan: 540, 360, 180 Tilt: 270, 180, 90  
Reset to factory settings option Pan/tilt invert option

**SPECIFICATIONS:**  
Beam angle: 13° Light source: 15W LED (R/G/B in 1)  
Power consumption: 60W AC power: AC115V/230V 50/60Hz  
Size: L175mm x W175mm x H250mm Weight: 4kg



## GM108 30W LED MOVING HEAD SPOT

**FEATURES:**  
11 channels DMX-512 LED moving head spot Pan: 540/ Tilt: 270  
Gobo wheel: 5 rotation gobos + open Gobo wheel spin effect  
Color wheel: 7 colors + open Color wheel spin effect  
With 3 facet prism  
Variable electronic strobe Variable electronic dimmer(0 - 100%)  
Vector speed channel for pan/tilt Built-in movement macros via DMX  
Linkable with Wash in stand-alone  
Built-in automated programs via master/slave  
Built-in sound activated programs via master/slave  
Reset to factory settings option Pan/tilt invert option



**SPECIFICATIONS:**  
Light source: 30W high power White LEDs Life rated: more than 50,000hrs  
Power consumption: 60W Max. AC power: AC115V/230V 50/60Hz  
Size: L255mm x W255mm x H450mm Weight: 8kg



## GM109 60W LED MOVING HEAD SPOT

**FEATURES:**  
11 or 14 channels DMX-512 LED moving head spot Pan: 540/ Tilt: 270  
Double Gobo wheel: one rotate gobo wheel, one fixed gobo wheel, with sharp, wheel spin effect, 3 facet prism with rotation  
Color wheel: 7 colors + open Color wheel spine effect  
Variable electronic strobe Variable electronic dimmer(0 - 100%)  
Vector speed channel for pan/tilt Built-in movement macros via DMX  
Built-in automated programs via master/slave  
Built-in sound activated programs via master/slave  
Reset to factory settings option Pan/tilt invert option

**SPECIFICATIONS:**  
Light source: 60W high power White LEDs Life rated: more than 50,000hrs  
Power consumption: 100W Max. AC power: AC115V/230V 50/60Hz  
Size: L295mm x W295mm x H480mm Weight: 13.5kg



## GM169 100W LED MOVING HEAD SPOT

**FEATURES:**  
13 or 16 channels DMX-512 LED moving head spot Pan: 540/ Tilt: 270  
Double Gobo wheel: one rotate gobo wheel, one fixed gobo wheel, with sharp, wheel spin effect, 3 facet prism with rotation, Electronic focus 15-18 degree  
Color wheel: 7 colors + open Color wheel spine effect  
Variable electronic strobe Variable electronic dimmer(0 - 100%)  
Vector speed channel for pan/tilt Pan/Tilt 8 bit/16 bit  
Built-in movement macros via DMX With 3 electronic liner Iris  
Gobo rotate speech is adjustable, and can forwards gobo rotation  
Built-in automated programs via master/slave (fast and slow)  
Built-in sound activated programs via master/slave  
Reset to factory settings option Pan/tilt invert option

**SPECIFICATIONS:**  
Light source: 100W high power White LEDs Life rated: more than 50,000hrs  
Power consumption: 120W Max. AC power: AC115V/230V 50/60Hz  
Size: L390mm x W320mm x H650mm Weight: 21.5kg

# DJ SCANNER



## GB2007A

### ELC24V 250W SCANNER

#### Features:

High output creat alarge wide powerful effects  
4 digit digital displaycontrol board  
4 channel DMX, color and gobos in one wheel.  
4 operate modes :Automatic mode, soundactivated, DMX mode, Master/Slave. 8 colour wheelpus white  
8 rotate gobos pluswhite  
Pan: 150 degree;Tilt: 75 degree  
Manual focus  
Reverse pan and tilt options  
2 Mounting bracketsincluded  
High velocity fan keeps the unit coolfor long time running  
Great effect is anideal edition to anyClub,DJ's,Home party,Ballroom, Bands,Show bar etc.

#### Specifications:

Voltage: 110/240Vac, 50/60Hz  
Power consumption: 280W  
Fuse: F3A  
Light source: ELC24V 250W halogen lamp  
Beam angle 15  
Color/gobo wheel: 8 + white plus 8 + white

Construction:  
Material: Steel body  
Body color: Black



## GB2007B

### ELC24V 250W DJ BARREL

#### Features:

High output creat alarge wide powerful effects  
4 digit digital displaycontrol board  
4 channel DMX, color and gobos in one wheel.  
4 operate modes :Automatic mode, soundactivated, DMX mode, Master/Slave. 8 colour wheelpus white  
8 rotate gobos pluswhite Pan: 150degree;Tilt: infinitely rotate  
Manual focus Reversepan and tilt options  
2 Mounting bracketsincluded  
High velocity fan keeps the unit coolfor long time running  
Great effect is anideal edition to anyClub,DJ's,Home party,Ballroom, Bands,Show bar etc.

#### Specifications:


Voltage: 110/240Vac, 50/60Hz Power consumption: 280W  
Fuse: F3A Lightsource: ELC24V 250Whalogen lamp  
Beam angle 15 Color/gobowheel: 8 + whiteplus 8 + white

#### Construction:

Material: Steel body Bodycolor: Black  
Protection rating: IP20 Working environment:Indoor -20~50°C

#### Packing: (Carton box)

1\* GB2007B DJ Barrel 2\* Hanging bracket  
1\* User manual 1\*DMX cable (3 pin-XLR)  
Dimensions:L475 x W240 xH230mm Weight: 7.6kg



## GB2018A

### 20W LED SCANNER

#### Features:

High output 20W LEDoutput equivalent to 250Whalogen lamp  
4 digit digital displaycontrol board  
8 channel DMX, dimmer, colour select, gobo select, goboshake, strobe, pan, tilt, pan and tilt speed, pan fine, tilt fine, andreset  
4 operate modes :Automatic mode, soundactivated, DMX mode, Master/Slave  
Sound sensitivity controlled 8colour wheel plus white 8 rotate gobos plus white  
Pan: 150 degree;Tilt: 75 degree Manual focus  
Reverse pan and tilt options Mounting bracket included  
High velocity fan keeps the unit coolfor long time running  
Great effect is anideal edition to anyClub,DJ's,Home party,Ballroom, Bands,Show bar etc.

#### Specifications:

Voltage: 110/240Vac, 50/60Hz Power consumption: 44W  
Fuse: F3A Lightsource: 1 x20W white LED  
Beam angle 15 Colorwheel: 8 + white  
Gobo Wheel:6 steel+2 glass+spot

#### Construction:

Material: Steel body Bodycolor: Black  
Protection rating: Ip20 Working environment:Indoor -20~40°C

#### Packing: (Carton box)

1\* GB2018A 20W led scanner 1\* Hangingbracket  
1\* User manual 1\*DMX cable (3 pin-XLR)  
Dimensions: L400 x W200x H150mm Weight: 4.5kg



## GB2018B

### 60W LED SCANNER

#### Features:

60W led High outputa large wide powerfuleffects  
4 digit digital displaycontrol board  
11 channel DMX, dimmer, colour select, gobo select, gobo shake, rotation strobe, pan, tilt, pan and tilt speed, pan fine, tilt fine, andreset  
4 operate modes :Automatic mode, soundactivated, DMX mode, Master/Slave.  
Sound sensitivity controlled 8colour wheel plus white  
8 rotate gobos pluswhite with gobo rotation  
Pan: 150 degree;Tilt: 75 degree Manual focus  
Reverse pan and tilt options Mounting bracket included  
High velocity fan keeps the unit coolfor long time running  
Great effect is anideal edition to anyClub,DJ's,Home party,Ballroom, Bands,Show bar etc.

#### Specifications:

Voltage: 110/240Vac, 50/60Hz Power consumption: 100W  
Fuse: F3A Lightsource: 1 x60W white LED  
Beam angle 15 Colorwheel: 8 + white  
Gobo Wheel:6 steel+2 glass+spot

#### Construction:

Material: Plastic and steelbody Body color: Black/Whitecan select  
Protection rating: IP20 Working environment:Indoor -20~40°C

#### Packing: (Carton box)

1\* GB2018B 60W led scanner 1\* Hangingbracket  
1\* User manual 1\*DMX cable (3 pin-XLR)  
Dimensions: L690 x W420x H260mm Weight: 7.5kg





## GM049 LED MULTI COLOR BAR

**Features:**  
 DMX Channels: 3, 4, 7, 10, 16, 24, or 28 selectable  
 288 Ultra Bright 5mm LEDs (96 Red, 96 Green, & 96 Blue)  
 Color strobe effect (fast to slow)  
 Color mixer effect (fast to slow)  
 Color change speed (fast to slow)  
 Electronic Dimming 0 - 100%: Control Red, Green & Blue LEDs independently  
 Linkable via 3-pin XLR cable  
 IEC output for powerlink  
 4-button LED display on rear panel  
 Includes mounting brackets  
 Square effect: Side length 800mm (requires 4 units)

**Specifications:**  
 Power supply: AC 90V-240V/60--50Hz  
 Power Consumption: 30W  
 Dimensions: L760 x W170 x H170mm/per  
 Weight: 3.5Kgs



## GM050 LED MULTI PIXEL BAR

**Features:**  
 DMX Channels: 3, 4, 7, 10, 16, 24, or 28 selectable  
 288 Ultra Bright 5mm LEDs (96 Red, 96 Green, & 96 Blue)  
 Color strobe effect (fast to slow)  
 Color mixer effect (fast to slow)  
 Color change speed (fast to slow)  
 Electronic Dimming 0 - 100%: Control Red, Green & Blue LEDs independently  
 Linkable via 3-pin XLR cable  
 IEC output for powerlink  
 4-button LED display on rear panel  
 Includes mounting brackets  
 Circle effect: Inner dimensions: dia. 850mm, Outer: dia. 1000mm (requires 4 units)


**Specifications:**  
 Power supply: AC 90V-240V/60--50Hz  
 Power Consumption: 30W  
 Dimensions: L760 x W240 x H170mm/per  
 Weight: 3.5Kgs



## GM114 SHORT LED TRI COLOR BAR

**Features:**  
 DMX channels: 2/3/6/7/14 channels selectable  
 With 4 digital LED display  
 Remote controller can be selectable  
 Stand Alone, Master/Slave and Sound Active  
 0—100% strobe; 0—100% dimmer via DMX mode  
 Built in programmes  
 LEDs: 12 x 3W Tri-colour  
 Beam Angle: 45 degrees  
 LED life: 50,000hrs


**Specifications:**  
 Power supply: AC 90-240V/50-60Hz  
 Power consumption: 40W  
 Dimensions: L330 x W95 x H180mm  
 Weight: 3.7Kgs



## GM115 LED COLOR BAR 252

**Features:**  
 DMX channels: 2/3/6/7/14 channels selectable  
 4 Operations mode: Stand Alone, Master/Slave and Sound Active  
 0—100% strobe; 0—100% dimmer via DMX mode  
 Static colours and RGB colour mixing with or without DMX controller  
 Built in programs by automatic, sound active or Master/Slave mode  
 Color gradual change/color jump change, speed adjustable  
 With 4 digital LED display  
 Very low power consumption high output

**Specifications:**  
 Power supply: AC 90-240V/50-60Hz Power consumption: 20W  
 Light sources: 252pcs 10mm Ultra brightness leds (84 red; 84 green; 84 blue)  
 Beam Angle: 40 degrees LED life: 10,000hrs  
 Dimensions: L140 x W130 x H1050mm  
 Weight: 4.85Kgs



## GM118 LED TRI COLOR BAR 18

**Features:**  
 3W TRI color LED Bar with aluminum housing  
 18 x 3W Ultrabright 3-in-1, TRI Color RGB LEDs (60,000 hours rated)  
 3-in-1 TRI Color RGB LED provides optimal color mixing with no RGB shadows  
 2, 3, 4, 6, 7, 12 dmx channel can be selectable  
 4 operation modes (DMX 512, Master/Slave, Stand Alone and Sound Active)  
 Strobe Function can be added to any color combination  
 Electronic Dimming: 0 - 100%  
 Strobe: 0 - 100% Built-in color macros and programs  
 LEDs can manually be controlled via on-board menu/buttons  
 Linkable via 3-pin XLR input & output With 4 digital LED display  
 Includes mounting brackets  
 Optional infrared remote to control: RGB dimming, built-in programs, autorun, flash, speed adjustable. Beam angle: 40 degrees

**Specifications:**  
 Voltage: 90-240VAC, 50/60Hz Power consumption: 70W  
 Light sources: 18pcs 3W Ultra brightness TRI color (3-in-1)  
 Dimensions: L1100 x W80 x H120mm Weight: 5.6kg.



# LED BAR

## GMII6A LED COLOR BAR 304

### Features:

17 DMX channels  
4 Operations mode: Stand Alone, Master/Slave and Sound Active  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Built in programs by automatic, sound active or Master/Slave mode  
Color gradual change/color jump change, speed adjustable  
Very low power consumption, high output

### Specifications:

Power supply: AC90-240V/50-60Hz  
Power consumption: 20W  
Light sources: 304pcs 10mm Ultra brightness leds (160 red; 72 green; 72 blue)  
Beam Angle: 40 degrees LED life: 10,000hrs  
Dimensions: L170 x W160x H650mm  
Weight: 4.5Kgs

## GMII6B LED COLOR BAR 48

### Features:

17 DMX channels  
4 Operations mode: Stand Alone, Master/Slave and Sound Active  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Built in programs by automatic, sound active or Master/Slave mode  
Color gradual change/color jump change, speed adjustable  
Very low power consumption, high output

### Specifications:

Power supply: AC90-240V/50-60Hz  
Power consumption: 60W/120W  
Light sources: 48pcs 1W/3W Ultra bright RGB leds  
LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA  
Beam Angle: 40 degrees  
LED life: 60,000hrs  
Dimensions: L170 x W160x H650mm  
Weight: 7.5 Kgs

## GMII7A LED COLOR BAR 608

### Features:

29 DMX channels  
4 Operations mode: Stand Alone, Master/Slave and Sound Active  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Built in programs by automatic, sound active or Master/Slave mode  
Color gradual change/color jump change, speed adjustable  
Very low power consumption, high output

### Specifications:

Power supply: AC90-240V/50-60Hz  
Power consumption: 50W  
Light sources: 608pcs 10mm Ultra brightness leds (320 red; 144 green; 144 blue)  
Beam Angle: 40 degrees  
LED life: 10,000hrs  
Dimensions: L170 x W160x H1180mm  
Weight: 8Kgs

## GMII7B LED COLOR BAR 96

### Features:

29 DMX channels  
4 Operations mode: Stand Alone, Master/Slave and Sound Active  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Built in programs by automatic, sound active or Master/Slave mode  
Color gradual change/color jump change, speed adjustable  
Very low power consumption, high output

### Specifications:

Power supply: AC90-240V/50-60Hz  
Power consumption: 120W/300W  
Light sources: 96pcs 1W/3W Ultra bright RGB leds  
LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA  
Beam Angle: 40 degrees  
LED life: 60,000hrs  
Dimensions: L170 x W160x H1180mm  
Weight: 13.5Kgs




## GMII9 LED COLOR WASH BAR 48

### Features:

High output LED colour wash bar with 48pcs 1W or 3W LEDs  
DMX channels: 2/4/5/7/8/18 channels selectable  
RGBW color mixing Smooth RGBW colour mixing  
4 operation modes: Stand alone, master/slave and sound active modes  
Built in programmes by stand alone, sound active, master/slave  
4 LED zones, each zone can change colour, dimmer, strobe  
Colour strobe effect Electronic dimming: 0 - 100%  
Linkable via 3-pin XLR cable 4 digital LED display  
Beam angle: 25 degrees Lamp life: 50,000 hours

### Specifications:

Voltage: AC90-240V/50-60Hz Power consumption: 60W/120W  
Light sources: 48pcs Ultra bright 1W or 3W leds  
LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA  
Dimensions: L180 x W170x H430mm Weight: 7.5 Kgs



# LED WALL WASHER




## GM083 LED WASH 120

### Features:

8 channels DMX-512 led color wash light  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGBW, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, running speed adjustment  
4 Digit Digital LED Display Very low power consumption, high output

### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 140W/380W  
Light source: 120 pcs 1 Watt (350mA) / 3 Watt (700 mA) Ultra Bright LEDs  
(30 red, 30 green, 30 blue, 30 white) chips from Taiwan or USA  
Bulb life: 6 million hours Bulb angle: 15-20 degree  
Dimensions: L410 X W410 X H400mm Weight: 14kg




## GM085 LED CITY COLOR 150

### Features:

6 channels DMX-512 led city color light  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs 0—100% strobe; 0—100%  
dimmer via DMX mode RGB, macros, run/strobe speed, automatic/sound,  
dimmer Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, running speed adjustment  
4 Digit Digital LED Display

### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 140W/380W  
Light source: 150 pcs 1 Watt (350mA) / 3 Watt (700 mA) Ultra Bright LEDs  
(50 red, 50 green, 50 blue) chips from Taiwan or USA  
Bulb life: 6 million hours Bulb angle: 120 degree  
Dimensions: L750 X W680 X H810mm Weight: 18kg




## GM088 LED OUTDOOR WASH108 (Ip65)

### Features:

IP65 high output led wash light 13 dmx512 channels Link with 3-pin XLR  
4 Operation modes: Standalone, sound active, Master/Slave, DMX  
RGB dimmer 0—100% strobe; 0—100% dimmer via DMX mode  
Built in programs  
Static colors/color gradual/color mixing/color strobe

### Specification:

Power supply: AC100—240V 50/60Hz Max power: 110W/350W  
Beam angle: 25°  
Light source: 108 pcs Ultra brightness 1W(350mA)/3W(700mA) leds  
(R:36, G:36, B:36PCS)  
Dimensions: L650xW300xH280mm  
Weight: 16 kg



## GM089 LED OUTDOOR WASH108 (Ip65)

### Features:

DMX channels: 2/3/6/7/14 channels selectable  
With 4 digital LED display  
4 Operation modes: Stand Alone, Master/Slave and Sound Active  
Built in programs  
Static color/dimmer/strobe/color mixing/change color/speed adjust  
0—100% strobe; 0—100% dimmer via DMX mode  
Beam Angle: 45 degrees LED life: 50,000hrs

### Specifications:

Power supply: AC90-240V/50-60Hz  
Power consumption: 60W/120W  
Light source: 48 pcs 1W(350mA)/3W(700mA) leds/16 red; 16 green; 16 blue  
Dimensions: L1220 x W170 x H170mm Weight: 8 Kgs



## GM090 LED COLOR WASH 36

### Features:


6 channel DMX-512 led color wash/spot light  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, speed adjustment  
4 Digit Digital LED Display

### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 36W  
Light source: 36 pcs 1 Watt (350mA) Ultra Bright LEDs (12 red, 12 green, 12 blue)  
chips from Taiwan or USA Bulb life: 6-10 million hours Bulb angle: 15-20 degree




# LED WASH



## GM079 LED COLOR WASH 45

**Features:**  
 RGBWA 5 color mixing high output led wash  
 4 Operating modes: Stand alone, Master/Slave, Sound active, DMX  
 7 DMX modes: 1, 2, 5, 6, 7, 8, 9 channels  
 Onboard programming functionality enables programming without external DMX controller  
 Built-in automated programs via Automatic, sound, master/slave or DMX  
 Program and recall custom programs via master/slave or DMX  
 Thermal management system ensures long life of LEDs  
 Automatic fan speed responding to internal temperature  
 3-pin XLR DMX In/Out 4 digital led display Factory default reset  
 Power failure memory


**Specifications:**  
 Voltage: AC90V-250V/50-60Hz Power Consumption: 60W/150W  
 Light source: 45 pcs 1W(350mA) 3W(700 mA)  
 Ultra Bright LEDs (9 red, 9 green, 9 blue, 9 white, 9 Amber)  
 chips from Taiwan or USA Bulb life: 6-10 million hours  
 Bulb angle: 15-20 degree Dimensions: L530×W230×H150 mm  
 Weight: 15kgs



## GM080 LED COLOR WASH 90

**Features:**  
 RGBWA 5 color mixing high output led wash  
 4 Operating modes: Stand alone, Master/Slave, Sound active, DMX  
 7 DMX modes: 1, 2, 5, 6, 7, 8, 9 channels  
 Onboard programming functionality enables programming without external DMX controller  
 Built-in automated programs via Automatic, sound, master/slave or DMX  
 Program and recall custom programs via master/slave or DMX  
 Thermal management system ensures long life of LEDs  
 Automatic fan speed responding to internal temperature  
 3-pin XLR DMX In/Out 4 digital led display Factory default reset  
 Power failure memory


**Specifications:**  
 Voltage: AC90V-250V/50-60Hz Power Consumption: 120W/300W  
 Light source: 90 pcs 1W(350mA) 3W(700 mA)  
 Ultra Bright LEDs (9 red, 9 green, 9 blue, 9 white, 9 Amber)  
 chips from Taiwan or USA Bulb life: 6-10 million hours  
 Bulb angle: 15-20 degree Dimensions: L1000×W230×H230 mm  
 Weight: 15kgs



## GM081 LED TRI COLOR WASH 16

**Feature:**  
 4 operation modes: Stand Alone, Master/Slave and Sound Active  
 14 dmx channels  
 Static color/dimmer/strobe/color change/color smooth, speed adjustable  
 Strobe Function can be added to any color combination  
 Electronic Dimming: 0 - 100%  
 Strobe: 0 - 100% Built-in color macros and programs  
 Linkable via 3-pin XLR input & output With 4 digital led display  
 Includes mounting brackets

**Specifications:**  
 Voltage: AC100-240V/50-60Hz Power consumption: 50W  
 Light sources: 16 pcs 3W ultra bright Tri-colour leds  
 LED Expectancy: 50,000hrs  
 Dimensions: L1020 x W110 x H70mm  
 Weight: 5.5Kgs



## GM082 LED TRI COLOR WASH 48

**Features:**  
 48 pcs 3Watt Tri color high output wash light  
 Stand Alone, Master/ Slave and Sound Active 14 dmx channels  
 Static color/dimmer/strobe/color change/color smooth, speed adjustable  
 Strobe Function can be added to any color combination  
 Electronic Dimming: 0 - 100% Strobe: 0 - 100%  
 Built-in color macros and programs  
 Linkable via 3-pin XLR input & output With 4 digital led display  
 Includes mounting brackets

**Specifications:**  
 Voltage: AC100-240V/50-60Hz Power consumption: 160W  
 Light sources: 48 pcs 3W ultra bright Tri-colour leds  
 LED Expectancy: 50,000hrs  
 Dimensions: L1020 x W110 x H70mm  
 Weight: 6.2Kgs



## GM015 led wall washer 24/36 (Ip65)

**Features:**  
 6 DMX channels  
 With 3 digital LED display  
 4 Operation modes: Stand Alone, Master/Slave, DMX and Sound Active  
 Built in programs  
 Static color/dimmer/strobe/color mixing/color fade/speed adjust  
 0—100% strobe; 0—100% dimmer via DMX mode  
 Beam Angle: 45 degrees LED life: 50,000hrs

**Specifications:**  
 Power supply: AC90-240V/50-60Hz  
 Power consumption: 30W/60W/80W/120W  
 Light source: 24 pcs 1W(350mA)/3W(700mA) leds/  
 8 red; 8 green; 8 blue /36 pcs 1W(350mA)/3W(700mA) leds/  
 12 red; 12 green; 12 blue  
 Dimensions: L1220 x W170 x H170mm Weight: 8 Kgs





## GMO16A LED BLINDER 48

### Features:

17 DMX channels  
4 Operations mode: Stand Alone, Master/Slave and Sound Active  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Built in programs by automatic, sound active or Master/Slave mode  
Color gradual change/color jump change, speed adjustable  
Very low power consumption, high output

### Specifications:

Power supply: AC90-240V/50-60Hz Power consumption: 60W/120W  
Light sources: 48pcs 1W/3W Ultra bright RGB leds  
LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA  
Beam Angle: 40 degrees LED life: 60,000hrs  
Dimensions: L480 x W460 x H230mm Weight: 6.5 Kgs




## GMO17A LED BLINDER 96

### Features:

29 DMX channels  
4 Operations mode: Stand Alone, Master/Slave and Sound Active  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Built in programs by automatic, sound active or Master/Slave mode  
Color gradual change/color jump change, speed adjustable  
Very low power consumption, high output

### Specifications:

Power supply: AC90-240V/50-60Hz Power consumption: 120W/300W  
Light sources: 96pcs 1W/3W Ultra bright RGB leds  
LED driver Current: 1 Watt: 350mA; 3 Watt: 700mA  
Beam Angle: 40 degrees LED life: 60,000hrs  
Dimensions: L900 x W460 x H230mm Weight: 11.5Kgs




## GMO46 LED PANEL 648S

### Features:

648 ultra bright LEDs, RGB colour mixing panel  
5 dmx models: 3, 4, 6, 24, 27 channel can select  
DMX512, Master/slave, Stand alone, Sound Activate  
Built in programs via automatic, sound activate, Master/Slave, DMX  
Static color, Smooth linear electronic dimmer, strobe, color mixing,  
RGB dimmer, strobe speed controlled direct on board with 4 button  
With LCD display 8 zone, Each zone individually controllable

### Specifications:

voltage: AC90V-250V/50-60Hz Power consumption: 55W  
Light sources: 648pcs 5mm high brightness leds  
LED angle: 20(±5) degree LED life: 100,000 hrs  
Dimensions: L490 x W300 x H220mm  
Weight: 5Kg




## GMO47 LED PANEL 648L

### Features:

648 ultra bright LEDs, RGB colour mixing panel  
5 dmx models: 3, 4, 6, 24, 27 channel can select  
DMX512, Master/slave, Stand alone, Sound Activate  
Built in programs via automatic, sound activate, Master/Slave, DMX  
Static color, Smooth linear electronic dimmer, strobe, color mixing,  
RGB dimmer, strobe speed controlled direct on board with 4 button  
With LCD display 8 zone, Each zone individually controllable

### Specifications:

voltage: AC90V-250V/50-60Hz Power consumption: 55W  
Light sources: 648pcs 5mm high brightness leds  
LED angle: 20(±5) degree LED life: 100,000 hrs  
Dimensions: L845 x W155 x H190mm  
Weight: 5.3Kg



## GMO48 LED DANCING FLOOR

### Features:

4x 50cm x 50cm color cubes = 8x 50cm x 50cm color triangle in one  
20mm Acrylic, supports upto 800 kgs. 1.5mm armor plate  
Convection Cooling No Fans  
Built in programs, static color/dimmer/strobe/chase, speed adjustable  
Control: DMX512, Master/slave, Auto, Sound Activate 15 DMX Channel  
4 Digit Digital LED Display  
Special feature gives the units the flexibility for numerous types of applications  
such as architectural/retail spaces, stage productions, nightclubs, art galleries  
museums and much more.  
This solid-state lighting system has been designed for easy installation and  
safe energy efficient, long life operation. The combination of Red, Green and  
Blue LEDs offers a tremendous range of colors with smooth transitions from  
one color to the next.

### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 60W  
Light sources: 432 pcs ultra bright 5mm leds Lamp life: 6-10 ten thousand  
Color: 16.7 million kinds of color change Dimension: L1000 x 1000 x 100mm  
Weight: 42kgs

# LED PANEL





## GM005 LED COLOR STROBE 477

**Features:**  
4 channel DMX-512 led strobe light  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Color gradual change/color jump change  
Very low power consumption, high output Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

**Specifications:**  
Voltage: AC110V-230V/50-60Hz Power Consumption: 30W  
Light source: 477pcs 10mm(20mA) Ultra Bright LEDs  
(162 red, 153 green, 162 blue) chips from Taiwan or USA  
led life: 6-10 million hours led angle: 15-20 degree  
Packing Size: L535×W270×H215 mm Weight: 5.3kgs

**LED COLOR STROBE 252:**  
Voltage: AC110V-230V/50-60Hz Power Consumption: 20W  
Light source: 252pcs 10mm(20mA) Ultra Bright LEDs  
(52 red, 116 green, 84 blue) Packing Size: L535×W240×H210 mm  
Weight: 4kgs


**LED COLOR STROBE 260** Voltage: AC110V-230V/50-60Hz  
Power Consumption: 20W  
Light source: 260pcs 10mm(20mA) Ultra Bright LEDs  
(86 red, 87 green, 87 blue) Packing Size: L535×W240×H210 mm  
Weight: 4.3kgs



## GM044 led panel 336

**Features:**  
DMX channels: 2/3/6/7/14 channels selectable  
4 Operations mode: Stand Alone, Master /Slave and Sound Active  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Built in programs by automatic, sound active or Master/Slave mode  
Color gradual change/color jump change, speed adjustable  
With 4 digital LED display  
Very low power consumption, high output



**Specifications:**  
Power supply: AC90-240V/50-60Hz  
Power consumption: 30W  
Light sources: 336pcs 10mm Ultra brightness leds  
(108 red; 108 green; 120 blue)  
Beam Angle: 40 degrees  
LED life: 10,000hrs  
Dimensions: L400 x W120 x H230mm  
Weight: 2.5Kgs



## GM045 LED PANEL 216

**Features:**  
Control: DMX512, Master/slave, Auto, Sound Activate  
DMX Channels: 3, 4, 7, 10, 16, 24, or 28 selectable  
Color strobe effect (fast to slow)  
Color mixer effect (fast to slow)  
Color change speed (fast to slow)  
Electronic Dimming 0- 100%  
Control Red, Green & Blue LEDs independently  
Linkable via 3-pin XLR cable  
4-button LED display on rear panel  
Includes mounting brackets

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 15W Fuse: 3A  
Light sources: 216pcs 10mm high brightness leds  
LED angel: 20(±5) degree  
LED life: 6-10 tenthousand  
Color: 16.7million kinds of color change  
Packing Size: L370X W275 XH105mm  
Weight: 3KG



## GM192 LED INTERACTIVE DANCING FLOOR

**Features:**  
The LED Interactive Dance Floor is a revolutionary entertainment system that combines the latest lighting and interactive technologies to produce a unique party/club experience for all ages. Fully programmable Color Kinetics combined with state of the art Video Management Software allows for maximum flexibility and complete control. Virtually limitless options/customizations make our pressure sensitive LED dance floor one of the best deals in the industry.  
Color range: 16.7million additive white colors with variable intensity  
Waterproof level: IP54  
Working temperature: -15° C ~ +45° C  
Humidity: 0 to 90%  
Enhance any space from restaurants, clubs, events, to everything in between  
Interactivity (The floor responds to people's movement)  
Music Visualization / Video Simulation capabilities  
Versatile build options (with setups customized to your needs)  
Great for Bars, Clubs, Interactive Wall Displays, party, bands, disco etc.

**Specifications :**  
Power supply: AC90—260V/50—60Hz  
Power consumption: 80W  
Light source: 12pcs Ultra Bright LED/dots (Light Emitting Diodes)  
LED life: more than 50,000 hours  
Dimensions: L400 x W400 x H6mm  
Weight: approx. 10Kg/pcs






## GM038 LED QUADRUPLE DERBY LIGHT

### Features:

High output LED Lighting effect produces 28 sharp beams  
Can Control Red, Green, Blue & Strobe/Dimmer  
4 Operational Modes: DMX, Master/Slave, sound activated, stand alone  
Electronic dimming: 0-100% 7 channels DMX-512 led effect light  
Sound-controlled via built-in microphone  
Built-in programmed lightingshow  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

### Specifications:

Voltage: AC110V-230V 60/50Hz Power Consumption: 20W  
Light source: 2pcs 9-watt 3-in-1 RGB LEDs Bulb life: 6-10 million hours  
Packing Size: L370×W370×H260 mm Weight: 5 kgs



## GM039 LED DUAL DERBY DMX

### Features:

High output LED Lighting effect produces 12 sharp beams  
produces a variety of color effects (Red, Green, Blue, Purple, Yellow, Cyan & White)  
4 Operational Modes: DMX, Master/Slave, sound activated, stand alone Strobe function  
DMX-512 protocol Linkable via XLR connections  
7 channels DMX-512 led effect light  
Sound-controlled via built-in microphone  
Built-in programmed lightingshow  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

### Specifications:

Voltage: AC110V-230V 60/50Hz Power Consumption: 20W  
Light source: Two 9-watt 3-in-1 Tricolor LEDs Bulb life: 6-10 million hours  
Packing Size: L370×W370×H260 mm Weight: 4.4kgs





## GM056 LED SIX EYES FLOWER

### Features:

High output LED Lighting show effects 7 dmx channels  
Can Control Red, Green, Blue & Strobe/Dimmer  
4 Operational Modes: DMX, Master/Slave, sound activated, stand alone  
Electronic dimming: 0-100% Sound-controlled via built-in microphone  
Built-in programmed lightingshow  
Double reflectors through 6 lenses create the cover wild sky ray effects  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

### Specifications:

Voltage: AC110V-230V 60/50Hz Power Consumption: 20W  
Light source: 1 pcs 9-watt 3-in-1 RGB LEDs Bulb life: 6-10 million hours  
Packing Size: L300×W230×H280 mm Weight: 3.2kgs





## GM059 LED MULTI DERBY LIGHT

### Features:

High output LED Lighting effect produces 42 sharp beams  
produces a variety of color effects (Red, Green, Blue, Purple, Yellow, Cyan & White)  
4 Operational Modes: DMX, Master/Slave, sound activated, stand alone  
Strobe function DMX-512 protocol Linkable via XLR connections  
7 channels DMX-512 led effect light  
Sound-controlled via built-in microphone  
Built-in programmed lightingshow  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

### Specifications:

Voltage: AC110V-230V 60/50Hz Power Consumption: 20W  
Light source: Two 9-watt 3-in-1 Tricolor LEDs Bulb life: 6-10 million hours  
Packing Size: L420×W400×H255 mm Weight: 5.25kgs




## GM067 LED DUAL DERBY EFX /Without DMX

### Features:

4 pcs Ultra bright 3W RGB Aled dual derby light  
High output LED Lighting effect produces 12 sharp beams  
produces a variety of color effects  
2 Operational Modes: Sound activated, stand alone  
Sound-controlled via built-in microphone  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

### Specifications:

Voltage: AC110V-230V 60/50Hz Power Consumption: 10W  
Light source: 4 \* Ultra bright 3W LEDs (RGBW each 2pcs)  
Bulb life: 6-10 million hours Packing Size: L370×W370×H260 mm  
N.W: 3.4kgs G.W: 4.2kgs



## GM068 LED TRI ANGLE DERBY LIGHT

### Features:

7 channels DMX-512 led centre effect light  
High output LED Lighting effect produces 15 sharp beams  
produces a variety of color effects (Red, Green, Blue, Purple, Yellow, Cyan & White) Static colors with or without DMX controller  
Back-and-forth motor effect with variable speed  
4 Operational Modes: DMX, Master/Slave, sound activated, stand alone  
Individual control of red, green and blue Strobe function  
DMX-512 protocol Linkable via XLR connections  
Sound-controlled via built-in microphone  
Built-in programmed lightingshow  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

### Specifications:

Voltage: AC110V-230V 60/50Hz Power Consumption: 30W  
Light source: Two 9-watt 3-in-1 Tricolor LEDs Bulb life: 6-10 million hours  
Packing Size: L390×W345×H315 mm Weight: 4.25kgs




# DISCO LIGHT



## GM029 LED MUSHROOM

**Features:**  
Creates 16 kinds gobos with Gobo rotation wide enough coverage  
4 operational modes: DMX-512, Master/Slave, AUTO or Sound activated  
DMX-controlled operation or stand alone operation with master/Slave-function (up to 4 slaves) 4 channels DMX-512 led mushroom  
Sound-controlled via built-in microphone  
Control-Board with 4-digit display  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC110V/230V Frequency: 60/50Hz Power Consumption: 10W  
Light source: 120pcs 5mm(20mA) Ultra Bright LEDs (48red, 36green, 36blue)  
Output effects similar to a 100W halogen lamp  
Bulb life: 6-10 million hours Bulb angle: 15 degree  
Motor: DC 12V 45RPM Packing Size: L410×W380×H320 mm  
Weight: 4.3kg



## GM041 HP LED MUSH ROOM

**Features:**  
High output LED Lighting effect produces 15 sharp beams  
produces a variety of color effects (Red, Green, Blue, Purple, Yellow, Cyan & White)  
4 Operational Modes: DMX, Master/Slave, sound activated, stand alone  
Strobe function DMX-512 protocol  
Linkable via XLR connections 7 channels DMX-512 led effect light  
Sound-controlled via built-in microphone  
Built-in programmed lightingshow  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.


**Specifications:**  
Voltage: AC110V-230V 60/50Hz Power Consumption: 20W  
Light source: Two 9watt 3-in-1 Tricolor LEDs  
LED life: 6-10 million hours  
Packing Size: L350×W350×H400mm Weight: 3.6kg



## GM051 LED CRYSTAL BALL

**Features:**  
High output LED Lighting effect produces 55 sharp beams  
produces a variety of color effects (Red, Green, Blue, Purple, Yellow, Cyan & White)  
4 Operational Modes: DMX, Master/Slave, sound activated, stand alone Strobe function DMX-512 protocol  
Linkable via XLR connections  
7 channels DMX-512 led effect light  
Sound-controlled via built-in microphone  
Built-in programmed lightingshow  
Ideal for use as a centerpiece, this unit projects 55 pin sharp, powerful, brilliant color beams, which rotate, flash and change color around the walls, ceilings and floors, giving a wide room coverage.  
Great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

**Specifications:**  
Voltage: AC110V-230V 60/50Hz Power Consumption: 10W  
Light source: One 9watt 3-in-1 Tri color LEDs  
Bulb life: 6-10 million hours  
Packing Size: L330×W330×H330 mm Weight: 3.8kgs



## GM060 LED TRI SCANNER

**Features:**  
Creates more kinds colorful beams with scanning wide enough coverage  
4 operational modes: DMX-512, AUTO or Sound activated  
DMX-controlled operation or stand alone operation  
8 channels DMX-512 led centre fixture  
Built-in programmes can be run via built-in microphone  
The centre of the fixture fires out dozens of red, green and blue beams reflecting from mirrors around its perimeter.  
No duty cycle, runs all night  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC110V/230V Frequency: 60/50Hz  
Power Consumption: 20W  
Light source: 72pcs 5mm(20mA) Ultra Bright LEDs (24red, 24green, 24blue)  
Output effects similar to a 100W halogen lamp  
Bulb life: 6-10 million hours Bulb angle: 15 degree  
Dimensions: L420×W380×H225 mm Weight: 4.3kgs



## GM066 LED MUSHROOM/Without DMX

**Features:**  
4 pcs Ultra bright 3W RGBWA dual derby light  
High output LED Lighting effect produces 12 sharp beams  
produces a variety of color effects  
2 Operational Modes: Sound activated, stand alone  
Sound-controlled via built-in microphone  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC110V-230V 60/50Hz Power Consumption: 10W  
Light source: 4 \* Ultra bright 3W LEDs (RGBW each 2 pcs)  
Bulb life: 6-10 million hours  
Packing Size: L350×W350×H400 mm Weight: 3.7kgs



## GM076 LED GALAXY LIGHT

**Features:**  
High output LED Lighting effect produces 55 sharp beams  
produces a variety of color effects (Red, Green, Blue, Purple, Yellow, Cyan & White)  
4 Operational Modes: DMX, Master/Slave, sound activated, stand alone  
Strobe function DMX-512 protocol  
Linkable via XLR connections 7 channels DMX-512 led effect light  
Sound-controlled via built-in microphone  
Built-in programmed lightingshow  
Ideal for use as a centerpiece, this unit create a sky ray effects, powerful, brilliant color beams, which rotate, flash and change color around the walls, ceilings and floors, giving a wide room coverage.  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC110V-230V 60/50Hz Power Consumption: 10W  
Light source: One 9watt 3-in-1 Tricolor LEDs Bulb life: 6-10 million hours  
Packing Size: L300×W300×H300 mm Weight: 3kgs

# LED EFFECT LIGHT




## GM063 LED MULTI GOBO FLOWER

### Features:

1 Ultra Bright Cool White 10W LED, High output LED Lighting effect produces 12 gobos plus white  
2 Operational Modes: sound activated, stand alone  
Switches for control of gobo and dish motors for either Stand alone or sound activation  
Change gobos that can be projected on walls and dance floors  
Great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

### Specifications:

Voltage: AC110V-230V 60/50Hz Power Consumption: 30W  
Light source: 1 Ultra Bright Cool White 10W LED  
Bulb life: 5 million hours  
Packing Size: L340×W340×H230 mm Weight: 3.5kgs



## GM064 LED WATER LIGHT

### Features:

1 Ultra Bright Cool White 10W LED, High output color water effect  
Unit with 2 glass effect wheels and with one color wheel  
6 colors: White, Green, Blue, Yellow, Orange, Purple.  
Auto scrolling colors or single color operation controlled by Switch  
auto or sound activation  
Run all night - no duty cycle  
Designed to project on walls, ceilings or floors with or without fog -  
great for mood or background lighting

### Specifications:

Voltage: AC110V-230V 60/50Hz Power Consumption: 30W  
Light source: 1 Ultra Bright Cool White 10W LED  
Bulb life: 5 million hours  
Packing Size: L305×W305×H240 mm Weight: 3.5kgs



## GM072 LED CENTER LIGHT

### Features:

Creates more kinds colorful beams with scanning wide enough coverage  
3 operational modes: DMX-512, AUTO or Sound activated  
11 channels DMX-512 led centre fixture  
Built-in programmes can be run via built-in microphone  
The centre of the fixture fires out dozens of red, green and blue beams  
reflecting from mirrors around its perimeter.  
No duty cycle, runs all night  
Great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

### Specifications:

Voltage: AC110V/230V Frequency: 60/50Hz Power Consumption: 50W  
Light source: 120 pcs 5mm (20mA) Ultra Bright LEDs (40 red, 40 green, 40 blue)  
Output effects similar to a 100W halogen lamp  
Bulb life: 6-10 million hours Bulb angle: 15 degree  
Packing Size: L450×W450×H280 mm Weight: 5.2kg



## GM074 LED MULTI EFFECTS I

### Features:

LED multi effects with led bar effects plus one color moonflower  
and one white moonflower  
4 operational modes: DMX-512, Master/Slave, AUTO or Sound activated  
DMX-controlled operation or stand alone operation with Master/Slave-function  
7 or 15 channels DMX-512 led effect lights  
Built-in programmes can be run via built-in microphone  
No duty cycle, runs all night  
Great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

### Specifications:

Voltage: AC110V-230V Frequency: 50-60Hz Power Consumption: 30W  
Light source: LED BAR: 144 pcs 5mm (20mA) Ultra Bright LEDs (48 red, 48 green, 48 blue)  
MOON FLOWER: 1 pcs Ultra Bright 9W 3-in-1 and 1 pcs 3W led  
Output effects similar to a 100W halogen lamp  
Bulb life: 6-10 million hours Bulb angle: 15 degree  
Packing Size: L550×W220×H210 mm Weight: 4.5kgs




## GM075 LED MULTI EFFECTS II

### Features:

LED multi effects with led bar effects plus 4 white spot  
4 operational modes: DMX-512, Master/Slave, AUTO or Sound activated  
DMX-controlled operation or stand alone operation with Master/Slave-function  
8 channels DMX-512 led effect lights  
Built-in programmes can be run via built-in microphone  
No duty cycle, runs all night  
Great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

### Specifications:

Voltage: AC110V-230V Frequency: 50-60Hz Power Consumption: 30W  
Light source:  
LED BAR: 135 pcs 5mm (20mA) Ultra Bright LEDs (45 red, 45 green, 45 blue) or all white  
LED SPOT: 4 pcs Ultra Bright 3W white led  
Output effects similar to a 100W halogen lamp Bulb life: 6-10 million hours  
Bulb angle: 15 degree Packing Size: L550×W220×H210 mm Weight: 5kgs



## GM077 6 SCAN LED CENTER LIGHT

### Features:

TRI Color LED Center lighting effect with six scanner  
6x 9 watt 3-in-1 RGB "TRI Color" LEDs create variety  
of color effects (Red, Green, Blue, Purple, Yellow, Cyan and White)  
Long-life LED: 50,000 hrs DMX-512 protocol 18 DMX channels  
3 Operational modes: Stand alone, DMX, Master/Slave, Sound Active  
Strobe effect (Sound Active Mode)  
Linkable via 3-pin XLR cable 4 digital LED display  
Includes hanging bracket  
Very low heat output and power consumption

### Specifications:

Switchable voltage: 120V/60Hz or 230V/50Hz - IEC socket  
Power Consumption: 70W Dimensions: L544xW496xH175mm  
Weight: 9 kgs




# LED EFFECT LIGHT



## GM078 LED MULTI EFFECTS III

**Features:**  
LED multi effects with led bar effects plus 4 white spot  
4 operational modes: DMX-512, Master/Slave, AUTO or Sound activated  
DMX-controlled operation or stand alone operation with master/Slave-function  
8 channels DMX-512 led effect lights  
Built-in programmes can be run via built-in microphone  
No duty cycle, runs all night  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.


**Specifications:**  
Voltage: AC110-230V Frequency: 50-60Hz Power Consumption: 30W  
Light source: LED BAR: 135pcs 5mm (20 mA) Ultra Bright LEDs  
(45red, 45green, 45blue) or all white  
LED SPOT: 4pcs Ultra Bright 3W TRI color 3-in-1 leds  
Output effects similar to a 100W halogen lamp  
Bulb life: 6-10 million hours Bulb angle: 15 degree  
Packing Size: L550 x W220 x H210 mm Weight: 5kgs



## GM034 LED FLAME LIGHT

**Features:**  
4 channel DMX-512 led flame light  
Built-in color change and mixing via stand alone, Master/slave  
Individual control of red, green and blue led flame  
0-100% strobe; 0-100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
With strong turbo fan for the flame cloth  
Color gradual change/color jump change


**Specifications:**  
Voltage: AC110/230V, 50/60Hz Power Consumption: 100W  
Light source: 168pcs 10mm (20mA) Ultra Bright LEDs (72red, 48green, 48blue)  
Output effects similar to a 100W halogen lamp  
Bulb life: 6-10 million hours Bulb angle: 15 degree  
Packing Size: L575 x W300 x H405 mm Weight: 13.5kgs



## GM054 LED DISCO BANK

**Features:**  
Sound activated LED light bank  
Ultra bright red, green, blue and amber LEDs  
Extremely long life LEDs (approx 100,000 hours)  
Sound-to-Light operation via on-board microphone  
Variable speed settings Light compact metal chassis  
Multi-angle free standing bracket  
Very low power consumption  
No fan due to cool LED operating temperature

**Specification:**  
Voltage: AC110/240V, 50/60Hz Power consumption: 10W  
Light sources: 140 pcs 5mm ultra bright leds  
(35 red, 35 green, 35 blue, 35 amber)  
Dimensions: L445 x W190 x H120 mm Weight: 1.2kg



## GM093 LED MATRIX SCAN LIGHT

**Features:**  
Creates more kinds colorful beams with scanning wide enough coverage  
3 operational modes: DMX-512, AUTO or Sound activated  
11 channels DMX-512 led centre fixture  
Built-in programmes can be run via built-in microphone  
The centre of the fixture fires out dozens of red, green and blue beams  
reflecting from mirrors around its perimeter. No duty cycle, runs all night  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.



**Specifications:**  
Voltage: AC110V/230V Frequency: 60/50Hz Power Consumption: 50W  
Light source: 120pcs 5mm (20mA) Ultra Bright LEDs (40red, 40green, 40blue)  
Bulb life: 6-10 million hours Bulb angle: 15 degree  
Packing Size: L1200 x W250 x H200 mm Weight: 5kg



## GM069 LED MUSIC SCAN FLOWER

**Features:**  
1 Ultra Bright Cool White 10W LED, High output LED Lighting effect  
produces 12 gobos plus white  
2 Operational Modes: sound activated, stand alone  
A reflector dish and a 3 facet prism create a large wild effects  
Change gobos that can be projected on walls and dance floors  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC110V-230V 60/50Hz Power Consumption: 30W  
Light source: 1 Ultra Bright Cool White 10W LED  
Bulb life: 5 million hours  
Packing Size: L400 x W380 x H250 mm  
Weight: 4.2kgs



## GM086 LED MINI MOVING WASH

**Features:**  
4 DMX-512 Channels led mini moving wash  
Operations by Stand alone, sound active, DMX  
With static color, strobe, dimmer, color mixing color change  
PAN: 360 degree, Tilt: 270 degree

**Specifications:**  
Voltage: AC220-240V/50-60Hz  
Power consumption: 33W  
Light source: 86pcs ultra bright 5mm LEDs  
(Red 30 pcs, Green 28 pcs, Blue 28 pcs)  
Dimensions: L260 x W210 x H270 mm  
Weight: 3.2kgs



# LED MOON FLOWER



## GM028 SEVEN EYES LED MOON FLOWER

**Features:**  
9 channel DMX-512 led moon flower light Wide beam spread covers a large area  
7 Gobo teams Dynamic change, Auto running for each team is available  
Wide beam spread covers a large area Goborunning speed adjustable  
Blackout, static, dimmer, strobe  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch Sound-controlled via built-in microphone  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat emission, defecto maintenance free with brilliant light radiation  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 20W  
Light source: 189pcs 5mm(20mA) Ultra Bright LEDs( 42 red, 84 green, 6 blue)  
LED angle: 20 degree Lamp life: 6-10 ten thousand  
Packing Size: L635 x W500 x H225 mm Weight: 6.8kgs



## GM030 FOUR EYES LED MOON FLOWER

**Features:**  
creating very powerful beams similar to a color laser light effect wide enough coverage 4 operational modes: 2, 4, 5, 7, 8 or 18ch DMX can operate, Auto, Sound activate, master/slave 4-button menu system LED Display making it easy to navigate Blackout, static, dimmer, strobe  
Individual control of red, green, blue, and white LEDs Program continues automatically during periods without music or bass-beat Sound-controlled via built-in microphone DMX-control via every standard DMX-controller  
extremely long life, low power consumption, minimal heat emission, defecto maintenance free with brilliant light radiation  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 15W  
Light source: 168pcs 5mm(20mA) Ultra Bright LEDs(60 red, 48 green, 36 blue, 24 white)  
Bulb life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L570 x W360 x H235 mm Weight: 4.8kgs



## GM036 LED MATRIX FLOWER 256W

**Features:**  
DMX channels: 6  
Sound Active, Auto, DMX and Master/Slave modes  
256 Ultra Bright 5mm LEDs (R: 64, G: 64, B: 64, W: 64)  
Built-in programmes and microphone  
3-Pin XLR In/Out sockets for DMX IEC power in/out sockets  
No duty cycle, runs all night Robust metal housing

**Specifications:**  
Voltage: AC90-240V/50-60Hz Power consumption: 20W  
Dimensions: L530 x W230 x H230mm Weight: 3.5Kgs



## GM037 LED MATRIX FLOWER 64

**Features:**  
DMX channels: 6  
Sound Active, Auto, DMX and Master/Slave modes  
64 Ultra Bright 5mm LEDs (R: 16, G: 16, B: 16, W: 16)  
Built-in programmes and microphone  
3-Pin XLR In/Out sockets for DMX IEC power in/out sockets  
No duty cycle, runs all night Robust metal housing

**Specifications:**  
Voltage: AC90-240V/50-60Hz  
Power consumption: 20W  
Dimensions: L300 x W230 x H210mm  
Weight: 2.5Kgs



## GM042 LED MATRIX FLOWER 256X

**Features:**  
DMX channels: 6 DMX, master/slave and sound active modes  
256 high powered 5mm LEDs (R: 64, G: 64, B: 64, W: 64)  
Produces unique and exciting LED criss-cross patterns that may be projected on a wall, ceiling or dance floor  
4 digital LED display Wide beam spread covers wide areas

**Specifications:**  
Voltage: AC90-240V/50-60Hz  
Power consumption: 30W  
Dimensions: L500 x W453 x H300mm  
Weight: 6.2Kgs




## GM073 LED DUAL MOON FLOWER PLUS STROBE

**Features:**  
Double moon flower high output from 2 lens with sharp RED, GREEN, BLUE  
Creates different multi color beam high wide enough coverage plus one white strobe effect Sound Activated via built-in microphone  
Strobe effect controlled by power switch  
Extremely long life, low power consumption, minimal heat emission, defecto maintenance free with brilliant light radiation  
Great for Club, Mobile DJ's, Home party, Ballroom, Bands, Show bar etc.

**Specifications:**  
Voltage: AC90V-250V/50-60Hz  
Power Consumption: 10W  
Light source:  
moon flower: 96pcs 5mm(20mA) Ultra Bright LEDs: 48pcs red, 24pcs blue, 24pcs green  
strobe: 45pcs 5mm(20mA) Ultra Bright White LEDs  
LED angle: 15-20 degree Bulb life: 6-10 ten thousand  
Packing Size: L410 x W360 x H190 mm N.W: 2.45kgs

# LED MOON FLOWER



## GM019 LED SCAN MOON FLOWER

**Features:**  
Creates 16 kinds gobos with Gobo rotation  
5 channel DMX-512 led scan moon flower light  
Blackout, Gobos and Auto/Manual Mode applicable in Stand Alone  
DMX-controlled operation or stand alone operation with master/Slave-function (up to 4 slaves)  
Sound-controlled via built-in microphone  
Motor rotate control by DMX, master/slave, stand alone, sound activated;  
Pan: 150 degree Tilt: 70 degree Control-Board with 4-digit display  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat emission, defecto maintenance free with brilliant light radiation  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC110V-230V Frequency: 60/50Hz Power Consumption: 10W  
Light source: 40pcs 5mm(20mA) Ultra Bright LEDs (16red, 12green, 12blue)  
Bulb life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L465×W250×H210 mm Weight: 3.5kgs



## GM020 LED BARREL MOON FLOWER

**Features:**  
Creates 16 kinds gobos with Gobo rotation  
5 channel DMX-512 led scan moon flower light  
Blackout, Gobos and Auto/Manual Mode applicable in Stand Alone  
DMX-controlled operation or stand alone operation with master/Slave-function (up to 4 slaves)  
Sound-controlled via built-in microphone  
Motor rotate control by DMX, master/slave, stand alone, sound activated;  
Pan: 150 degree Tilt: Infinitely roll  
Control-Board with 4-digit display  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat emission, defecto maintenance free with brilliant light radiation  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.


**Specifications:**  
Voltage: AC110V-230V Frequency: 60/50Hz Power Consumption: 10W  
Light source: 40pcs 5mm(20mA) Ultra Bright LEDs (16red, 12green, 12blue)  
Bulb life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L465×W250×H210 mm W: 3.9kgs



## GM022 LED MOON FLOWER IV

**Features:**  
7 channel DMX-512 led moon flower light  
Creates more kinds gobos with Gobo rotation, Wide beam spread covers a large area Blackout, static, dimmer, strobe  
Individual control of red, green and blue LEDs  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated  
Master/slave mode by dip switch Sound-controlled via built-in microphone  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat emission, defecto maintenance free with brilliant light radiation  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 15W  
Light source: 162pcs 5mm(20mA) Ultra Bright LEDs: 60pcs red, 36pcs blue, 66pcs green  
LED angle: 20 degree Lamp life: 6-10 ten thousand  
Color: 16.7million kinds of color change  
Packing Size: L365×W320×H280 mm Weight: 5kgs



## GM023 LED MOON FLOWER V

**Features:**  
9 channel DMX-512 led moon flower light  
Creates more kinds gobos with Gobo rotation  
7 Gobo teams Dynamic change, Zoom out  
Zoom in for each team is available Wide beam spread covers a large area  
Gobo change speed adjustable Blackout, static, dimmer, strobe  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated Master/slave mode by dip switch Sound-controlled via built-in microphone  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat emission, defecto maintenance free with brilliant light radiation  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.


**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 30W  
Light source: 469pcs 5mm(20mA) Ultra Bright LEDs (red, green, blue, white)  
LED angle: 20 degree Lamp life: 6-10 ten thousand  
Packing Size: L350×W340×H340 mm Weight: 5.8kgs



## GM024 LED DUAL MOON FLOWER

**Features:**  
Creates 16 kinds gobos with Gobo rotation, more different multi color beam wide enough coverage  
4 channel DMX-512 led moon flower light  
Blackout, Gobos and Auto/Manual Mode applicable in Stand Alone  
DMX-controlled operation or stand alone operation with master/Slave-function (up to 4 slaves)  
Sound-controlled via built-in microphone Control-Board with 4-digit display  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat emission, defecto maintenance free with brilliant light radiation  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 10W  
Light source: 96pcs 5mm(20mA) Ultra Bright LEDs  
46pcs red, 24pcs blue, 24pcs green LED angle: 15-20 degree  
Lamp life: 6-10 ten thousand  
Packing Size: L350×W350×H210 mm Weight: 2.7kgs




## GM027 LED DUAL SCAN MATRIX FLOWER

**Features:**  
Creates multi matrix color beam wide enough coverage  
8 channel DMX-512 led moon flower light  
Blackout, Gobos and Auto/Manual Mode applicable in Stand Alone  
DMX-controlled operation or stand alone operation with master/Slave-function  
Sound-controlled via built-in microphone  
Control-Board with 4-digit display  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat emission, defecto maintenance free with brilliant light radiation  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 10W  
Light source: 72pcs 5mm(20mA) Ultra Bright LEDs  
24pcs red, 24pcs blue, 24pcs green  
LED angle: 15-20 degree Lamp life: 6-10 ten thousand  
Packing Size: L480×W430×H170 mm Weight: 5.25kgs



# LED MOON FLOWER



## GM001 DMX LED MOON FLOWER

**Features:**  
61 Multi-Color beams effects with wide enough coverage  
3 operational modes: DMX-512, AUTO or Sound activated  
4 channels DMX-512 led moon flower  
Built-in automated programs for led effects  
Built-in microphone (sound activated programs) for led change and motor rotation  
Individual control of red, green and blue LEDs (with flash and dimmer)  
Very low power consumption, long life light source  
Very low heat without fan  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.


**Specifications:**  
Voltage: AC110V/230V Frequency: 60/50Hz Power Consumption: 10W  
Light source: 61 pcs 5mm (20mA) Ultra Bright LEDs (16 red, 21 green, 24 blue)  
Output effects similar to a 100W halogen lamp  
Bulb life: 6-10 million hours Bulb angle: 15-20 degree  
Motor: AC110/230V 20rPM Packing Size: L330×W270×H210 mm  
Weight: 2.25kgs



## GM001C LED MOON FLOWER II

**Features:**  
61 Multi-Color beams effects with wide enough coverage  
Built-in automated programs for led effects  
Built-in microphone (sound activated programs) for motor rotation  
Very low power consumption, long life light source  
Very low heat without fan  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.


**Specifications:**  
Voltage: AC110V/230V Frequency: 60/50Hz Power Consumption: 10W  
Light source: 61 pcs 5mm (20mA) Ultra Bright LEDs (16 red, 21 green, 24 blue)  
Output effects similar to a 100W halogen lamp  
Bulb life: 6-10 million hours Bulb angle: 15-20 degree  
Motor: AC110/230V 20rPM Packing Size: L285×W180×H175 mm  
Weight: 3.5kgs



## GM013 DMX LED MOON FLOWER 40

**Features:**  
Creates 16 kinds gobos with Gobo rotation wide enough coverage  
4 operational modes: DMX-512, Master/Slave, AUTO or Sound activated  
DMX-controlled operation or stand alone operation with master/Slave function (up to 4 slaves)  
4 channels DMX-512 led moon flower  
Sound-controlled via built-in microphone  
Control Board with 4-digit display  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC110V-230V Frequency: 60/50Hz  
Power Consumption: 10W  
Light source: 40 pcs 5mm (20mA) Ultra Bright LEDs (16 red, 12 green, 12 blue)  
Bulb life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L290×W290×H210 mm  
Weight: 2.25kgs



## GM033 LED FOUR EYES PIXEL FLOWER

**Features:**  
Creates more kinds gobos and more different multi color beam wide enough coverage can auto moving and control speed via dip switch. Consist of four led panel, creating very powerful beams similar to a color laser light effect  
4 operational modes: DMX-512, Master/Slave, AUTO or Sound activated  
Sound-controlled via built-in microphone  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.



**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 20W  
Light source: 256 pcs 5mm (20mA) Ultra Bright LEDs (64 red, 64 green, 64 blue, 64 white) Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree  
Packing Size: L985×W205×H170 mm Weight: 6.2kgs



## GM035 LED MOON FLOWER VI

**Features:**  
9 channel DMX-512 led moon flower light  
6 Gobo teams Dynamic change, running line each team is available  
Wide beam spread covers a large area  
Gobo change speed adjustable, Blackout, static, dimmer, strobe  
4 operational modes: DMX-512, Master/Slave, AUTO or Sound activated  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch Sound-controlled via built-in microphone  
DMX-control via every standard DMX-controller  
Extremely long life, low power consumption, minimal heat emission, defect free maintenance free with brilliant light radiation  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 20W  
Light source: 156 pcs 5mm (20mA) Ultra Bright LEDs (red, green, blue, white)  
Bulb life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L365×W320×H280 mm Weight: 3.75kgs



## GM071 LED MOON FLOWER III

**Features:**  
Creates more kinds gobos and more different multi color beam wide enough coverage  
15 channel DMX-512 led moon flower light  
8 Gobo teams Dynamic change, each team is available Wide beam spread covers a large area Gobo change speed adjustable  
Blackout, static, dimmer, strobe  
Built-in automated programs via stand alone, Master/slave mode by 4 menu button led display  
Built-in sound activated programs via sound activated, Master/slave mode  
DMX-control via every standard DMX-controller  
Great for Club, DJ's Home party, Ballroom, Bands Show bar etc.

**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 20W  
Light source: 266 pcs 5mm (20mA) Ultra Bright LEDs (red, green, blue)  
Bulb life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L320×W235×H180 mm Weight: 2.2kgs

# LED PAR

## LED PAR

### GM110 LED PAR 36 IP65

#### Features:

6 channel DMX-512 led colorwash/spot light  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, running speed adjustment  
4 Digital LED Display Protection rating: IP65

#### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 50W/120W  
Light source: 36pcs 1Watt(350 mA)/3Watt(700mA) Ultra Bright LEDs  
(12 red, 12 green, 12 blue) chips from Taiwan or USA  
Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree  
Packing Size: L330×W230×H220 mm  
Weight: 5.75kgs



## LED PAR

### GM111 LED MULT PAR IP65

#### Features:

5 channels and 8 channels DMX-512 led colorwash/spot light  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, running speed adjustment 4 Digit Digital LED Display

#### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 162W  
Light source: 54pcs 3Watt(700 mA) Ultra Bright LEDs  
(14 red, 14 green, 14 blue, 12 white)  
chips from Taiwan or USA  
Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree  
Packing Size: L350×W350×H400 mm  
Weight: 10kgs



## LED PAR


### GM112 LED PAR ZOOM 24/ LED PAR ZOOM32

#### Features:

8 DMX Channels  
4 operation modes: Stand alone, Sound active, Master/Slave  
and DMX Static color, Dimmer/Strobe Colour change, Colour fade,  
color mixing, linear electronic dimmer 0-100%  
Great built-in programmes  
Beam angle: 10-60 degrees  
Connections: 3-Pin XLR  
Thermal protection  
Fan cooled

#### Specifications:

Voltage: AC100-240V/50-60Hz  
Power consumption: 90W /120W  
Light sources: LED PAR ZOOM24 with 24x3W(R: 8, G: 8, B: 8)  
LED PAR ZOOM 32 with 32x3W (R:12, G:10, B:10)  
Dimensions: L340 xW260 xH 260mm  
Weight: 6.5Kgs





# LED PAR GM010

## GM010

### LED ETC PAR-RGB

#### Features:

7 channel DMX-512 led color wash/spotlight  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, running speed adjustment  
4 Digit Digital LED Display

#### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 40W/55W/65W/120W/160W/180W  
Light source: 36pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(12 red, 12 green, 12 blue)  
48pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(16 red, 16 green, 16 blue)  
54pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(18 red, 18 green, 18 blue)  
chips from Taiwan or USA LED life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L250×W250×H330 mm  
Weight: 6.5kgs

## GM010

### LED ETC PAR-RGBW

#### Features:

5 channels and 8 channels DMX-512 led color wash/spotlight  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, running speed adjustment  
4 Digit Digital LED Display

#### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 40W/55W/65W/120W/160W/180W  
Light source: 36pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(10 red, 10 green, 10 blue, 6 white)  
48pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(12 red, 12 green, 12 blue, 12 white)  
54pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(14 red, 14 green, 14 blue, 12 white) chips from Taiwan or USA  
LED life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L250×W250×H330 mm Weight: 6.5kgs

## GM010

### LED ETC PAR-RGBWA

#### Features:

RGBWA 5 color mixing high output led ETC par  
Operating modes: Stand alone, Master/Slave, Sound active, DMX  
7 DMX modes: 1, 2, 5, 6, 7, 8, 9 channels.  
Onboard programming functionality enables programming without external DMX controller  
Built-in automated programs via Automatic, sound, master/slave or DMX  
Program and recall custom programs via master/slave or DMX  
Thermal management system ensures long life of LEDs  
Automatic fan speed responding to internal temperature  
3-pin XLR DMX In/Out 4 digit led display  
Factory default reset Power failure memory

#### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 55W/70W/160W/200W  
Light source: 45pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(9 red, 9 green, 9 blue, 9 white, 9 amber)  
60pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(12 red, 12 green, 12 blue, 12 white, 12 amber)  
chips from Taiwan or USA LED life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L250×W250×H330 mm  
Weight: 8.5kgs

## GM010

### LED ETC PAR-TRI 3-in-1

#### Features:

3 channels and 6 channels DMX-512 led ETC par light  
Built-in automated programs via stand alone mode  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color fade/color change/strobe, running speed adjustable  
4 Digit Digital LED Display  
fan is cooled

#### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 60W/80W/120W/160W/180W  
Light source: 18/24/36/48/54pcs RGB 3-IN-1 leds  
chips from Taiwan or USA  
LED life: 6-10 million hours  
Bulb angle: 15-20 degree  
Packing Size: L250×W250×H330 mm  
Weight: 8.5kgs

# LED PAR



## GMO18 LED PAR 64-RGB

### Features:

7 channel DMX-512 led color wash/spotlight  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, running speed adjustment  
4 Digit Digital LED Display

### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 40W/55W/65W/120W/160W/180W  
Light source: 36pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(12 red, 12 green, 12 blue)  
48pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(16 red, 16 green, 16 blue)  
54pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(18 red, 18 green, 18 blue) chips from Taiwan or USA  
LED life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L250×W250×H330 mm Weight: 5.5kgs




## GMO18 LED PAR 64-RGBW

### Features:

5 channels and 8 channels DMX-512 led color wash/spotlight  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, running speed adjustment  
4 Digit Digital LED Display

### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 40W/55W/65W/120W/160W/180W  
Light source: 36pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(10 red, 10 green, 10 blue, 6 white)  
48pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(12 red, 12 green, 12 blue, 12 white)  
54pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(14 red, 14 green, 14 blue, 12 white) chips from Taiwan or USA  
LED life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L250×W250×H330 mm Weight: 5.5kgs



## GMO18 LED PAR 64-RGBWA

### Features:

RGBWA 5 color mixing high output led ETC par  
4 Operating modes: Stand alone, Master/Slave, Sound active, DMX  
7 DMX modes: 1, 2, 5, 6, 7, 8, 9 channels.  
Onboard programming functionality enables programming without external DMX controller  
Built-in automated programs via Automatic, sound, master/slave or DMX  
Program and recall custom programs via master/slave or DMX  
Thermal management system ensures long life of LEDs  
Automatic fan speed responding to internal temperature  
3-pin XLR DMX In/Out 4 digital led display  
Factory default reset Power failure memory

### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 55W/70W/160W/200W  
Light source: 45pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(9 red, 9 green, 9 blue, 9 white, 9 amber)  
60pcs 1Watt(350mA)/3 Watt(700mA) Ultra Bright LEDs  
(12 red, 12 green, 12 blue, 12 white, 12 amber) chips from Taiwan or USA  
LED life: 6-10 million hours Bulb angle: 15-20 degree  
Packing Size: L250×W250×H330 mm Weight: 7.5kgs



## GMO18 LED PAR 64-TRI 3-in-1

### Features:

3 channels and 6 channels DMX-512 led ETC par light  
Built-in automated programs via stand alone mode  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color fade/color change/strobe, running speed adjustable  
4 Digit Digital LED Display  
fan is cooled

### Specifications:

Voltage: AC90V-250V/50-60Hz  
Power Consumption: 60W/80W/120W/160W/180W  
Light source: 18/24/36/48/54pcs RGB 3-IN-1 leds  
chips from Taiwan or USA LED life: 6-10 million hours  
Bulb angle: 15-20 degree  
Packing Size: L250×W250×H330 mm  
Weight: 7.5kgs






## GM002 LED PAR 36/10mm leds

**Features:**  
4 channel DMX-512led par 36 light  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMXmode  
Static colours and RGB colour mixing with or without DMX controller  
Color gradual change/color jumpchange  
Very low power consumption, high output Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

**Specifications:**  
Voltage: AC110V-230V/50-60Hz Power Consumption: 7W  
Light source: 60pcs 10mm(20mA) Ultra Bright LEDs(24 red, 18 green, 18 blue)  
chips from Taiwan or USA Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L150×W150×H210 mm  
N.W: 0.6kgs G.W: 0.8kgs



## GM003 LED PAR 56-151

**Features:**  
4 channel DMX-512led par 56 light  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMXmode  
Static colours and RGB colour mixing with or without DMX controller  
Color gradual change/color jumpchange  
Very low power consumption, high output Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.


**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 15W  
Light source: 151pcs 10mm(20mA) Ultra Bright LEDs(49 red, 55 green, 52 blue)  
chips from Taiwan or USA Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L225×W225×H350 mm  
N.W: 1.2kgs G.W: 1.5kgs



## GM003 LED PAR 64-181

**Features:**  
7 channel DMX-512led par 64 light  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMXmode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colours and RGB colour mixing with or without DMX controller  
Color gradual change/color jumpchange/strobe, running speed adjustment  
4 Digit Digital LED Display Very low power consumption, high output  
Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.


**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 20W  
Light source: 181pcs 10mm(20mA) Ultra Bright LEDs(49 red, 72 green, 60 blue)  
chips from Taiwan or USA Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L230×W500×H370 mm/6pcs  
N.W: 10.2kgs G.W: 13.5kgs



## GM009 LED PAR 56-108

**Features:**  
4 channel DMX-512led par 56 light  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMXmode  
Static colours and RGB colour mixing with or without DMX controller  
Color gradual change/color jumpchange  
Very low power consumption, high output Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

**Specifications:**  
Voltage: AC90V-250V/50-60Hz Power Consumption: 12W  
Light source: 108pcs 10mm(20mA) Ultra Bright LEDs(36 red, 36 green, 36 blue)  
chips from Taiwan or USA Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L220×W220×H210 mm  
Weight: 1.4kgs



## GM012 LED PAR 36B

**Features:**  
4 channel DMX-512led par 36 light  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMXmode  
Static colours and RGB colour mixing with or without DMX controller  
Color gradual change/color jumpchange  
Very low power consumption, high output  
Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

**Specifications:**  
Voltage: AC110V-230V/50-60Hz Power Consumption: 8W  
Light source: 86pcs 5mm(20mA) Ultra Bright LEDs(44 red, 21 green, 21 blue)  
chips from Taiwan or USA Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L170×W130×H125 mm  
N.W: 0.8kgs G.W: 1.1kgs



## GM053 LED PAR 56S-199

**Features:**  
4 channel DMX-512led par 56 light  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMXmode  
Static colours and RGB colour mixing with or without DMX controller  
Color gradual change/color jumpchange  
Very low power consumption, high output Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Show bar etc.

**Specifications:**  
Voltage: AC110V-230V/50-60Hz Power Consumption: 15W  
Light source: 199 pcs 5mm(20 mA) Ultra Bright LEDs(67 red, 66 green, 66 blue)  
chips from Taiwan or USA Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L170×W170×H180 mm  
N.W: 1kgs G.W: 1.3kgs

# LED PAR KIT

## GM002

### LED PAR 36/1Watt leds

#### Features:

4 channel DMX-512led par 36light  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Color gradual change/color jump change  
Very low power consumption, high output Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Showbar etc.

#### Specifications:

Voltage: AC110V-230V/50-60Hz Power Consumption: 10W  
Light source: 9pcs 1Watt(350mA) Ultra Bright LEDs (3red, 3green, 3blue)  
chips from Taiwan or USA Edison, Cree, Lumens can select  
Bulb life: 6-10 million hours Packing Size: L150×W150×H210 mm  
N.W: 0.8kgs G.W: 1.0kgs

## GM003

### THIN LED PAR 56-108

#### Features:

4 channel DMX-512led par 56light  
Built-in automated programs via stand alone, Master/slave mode by dip switch  
Built-in sound activated programs via sound activated, Master/slave mode by dip switch  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
Static colours and RGB colour mixing with or without DMX controller  
Color gradual change/color jump change  
Very low power consumption, high output Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Showbar etc.

#### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 12W  
Light source: 108pcs 10mm(20mA) Ultra Bright LEDs (36 red, 36 green, 36 blue)  
chips from Taiwan or USA Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L240×W240×H100 mm  
N.W: 1.1kgs G.W: 1.5kgs

## GM055

### LED PAR KIT-4 X 108PAR

#### Features:

4 par light in one DMX LED lighting  
Each lamp has 108 x 10mm RGB LEDs  
4 operational modes: 2, 4, 5, 7, 8 or 18ch DMX can operate Auto, Sound activate master/Slave  
4-Button menu system LED Display making it easy to navigate  
Blackout, static, dimmer, strobe individual control of red, green, blue and white LEDs  
Program continues automatically during periods without music or bass-beat  
Sound-controlled via built-in microphone  
DMX-control via every standard DMX-controller  
Stand height can reach up to 240cm Include 4 pedal foot controller  
extremely long life, low power consumption, minimal heat emission,  
defacto maintenance free with brilliant light radiation  
Great for Club, mobile DJ's, Home party, Ballroom, Bands, Show bar etc.

#### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 30W  
Light source: 432pcs 5mm(20mA) Ultra Bright LEDs (144 red, 144 green, 144 blue)  
Bulb life: 6-10 million hours Bulb angle: 15-20 degree

## GM062

### LED THIN PAR 64-177

#### Features:

7 channel DMX-512led par 64light  
Built-in automated programs via stand alone mode by Menu Button  
Built-in sound activated programs via sound activated, Master/slave  
Individual control of red, green and blue LEDs  
0—100% strobe; 0—100% dimmer via DMX mode  
RGB, macros, run/strobe speed, automatic/sound, dimmer  
Static colors and RGB color mixing with or without DMX controller  
Color gradual change/color jump change/strobe, running speed adjustment  
4 Digit Digital LED Display  
Very low power consumption, high output Very low heat without fan  
Rich color great for Club, DJ's, Home party, Ballroom, Bands, Showbar etc.

#### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 20W  
Light source: 177pcs 10mm(20mA) Ultra Bright LEDs (59 red, 59 green, 59 blue)  
chips from Taiwan or USA Bulb life: 6-10 million hours  
Bulb angle: 15-20 degree Packing Size: L275×W275×H100 mm  
N.W: 1.3kgs G.W: 1.7kgs

## GM070






### LED PAR KIT-4 X 7 TRI (3-IN-1)

#### Features:

4 par light in one DMX LED lighting  
Each lamp has 7 x 3W RGB Tri color 3-in-1 LEDs  
4 operational modes: 2, 4, 5, 7, 8 or 18ch DMX can operate Auto, Sound activate master/Slave  
4-Button menu system LED Display making it easy to navigate  
Blackout, static, dimmer, strobe individual control of red, green, blue and white LEDs  
Program continues automatically during periods without music or bass-beat  
Sound-controlled via built-in microphone DMX-control via every standard DMX-controller  
Stand height can reach up to 240cm Include 4 pedal foot controller  
extremely long life, low power consumption  
Great for Club, mobile DJ's, Home party, Ballroom, Bands, Show bar etc.


#### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 100W  
Light source: 28pcs 3W RGB Tri 3-in-1 Ultra Bright LEDs  
Bulb life: 5 million hours Bulb angle: 15-20 degree  
Packing Size: L1410×W520×H120 mm/parkit L1220×W160×H160 mm/stand  
Weight: 23kgs





# LED UV LIGHT




## GM002 PAR36 UV 60

LED Par Can with ultraviolet spot  
DMX-512 protocol - 2 Channel DMX  
Very smooth projection with 60pcs UV LEDs  
Emits extremely low heat compared to traditional par cans  
15 degree long throw  
Power consumption: max 15W  
Includes hanging bracket  
Dimensions: L150 x W150 x H210mm  
Weight: 0.8 kg




## GM003 PAR64 UV

LED Par Can with ultraviolet spot  
DMX-512 protocol - 2 Channel DMX  
Very smooth projection with 177pcs UV LEDs  
Emits extremely low heat compared to traditional par cans  
15 degree long throw  
Power consumption: max 15W  
Includes hanging bracket  
Dimensions: L230 x W220 x H330mm  
Weight: 1.7 kg



## GM005 LED WASH UV-36

DMX-512 protocol - 2 Channel DMX  
Blackout/dimmer/strobe  
18/36 pcs Ultra Bright 1W ultraviolet LEDs  
Emits extremely low heat compared to traditional par cans  
Sound control via internal microphone  
Master/Slave functions Sound activated  
Rugged compact housing Beam 40 degrees  
Power consumption: max 40W Includes hanging bracket  
Dimensions: L330 x W250 x H180mm Weight: 3.8 kg




## GM010 LED PAR UV-24/ LED PAR UV-36

DMX-512 protocol - 2 Channel DMX Blackout/dimmer/strobe  
24 / 36 Ultra Bright 1W ultraviolet LEDs  
Emits extremely low heat compared to traditional par cans  
Sound control via internal microphone  
Master/Slave functions Sound activated  
Rugged compact housing Beam 40 degrees  
Power consumption: max 40W Includes hanging bracket  
Dimensions: L230 x W220 x H330mm  
Weight: 3.8 kg



## GM044 LED PANEL UV 336

LED Par Can with ultraviolet spot  
DMX-512 protocol - 2 Channel DMX  
Very smooth projection with 216pcs 10mm UV LEDs  
Emits extremely low heat compared to traditional par cans  
15 degree long throw  
Power consumption: max 15W  
Includes hanging bracket  
Dimensions: L400 x W120 x H230mm  
Weight: 2.5Kgs



## GM045 LED panel UV 216

LED Par Can with ultraviolet spot  
DMX-512 protocol - 2 Channel DMX  
Very smooth projection with 216pcs 10mm UV LEDs  
Emits extremely low heat compared to traditional par cans  
15 degree long throw Power consumption: max 15W  
Includes hanging bracket  
Dimensions: L370 x W275 x H105mm  
Weight: 2.8 kg



## GM115 LED UV BAR 252

LED Par Can with ultraviolet spot  
DMX-512 protocol - 2 Channel DMX  
Very smooth projection with 252pcs 10mm UV LEDs  
Emits extremely low heat compared to traditional par cans  
15 degree long throw Power consumption: max 15W  
Includes hanging bracket  
Dimensions: L140 x W130 x H105mm  
Weight: 4.5Kgs

# FOG MACHINE



## GK001 400W FOG MACHINE

**Features:**  
400W heater  
Smoke output: 2,000cu.ft per minute Warm up time: approx. 4min  
Tank capacity: 0.25L Wired 3m and wireless controller can select  
Temperature-controlled heating element  
Sturdy metal case Hanging bracket  
Excellent smoke machine with impressive smoke production.  
A Must for every mobile DJ

**SPECIFICATIONS:**  
Voltage: AC120V/230V Frequency: 50-60Hz  
Power Consumption: 400W Fuse: F3A  
Outline Size: L230\*W140\*H135mm Packing Size: L250\*W160\*H155mm  
N.W: 1.7KG G.W: 2.2KG



## GK002 800W fog machine

**Features:**  
800 watt heater  
Smoke output: 4,000cu.ft per minute Warm up time: approx. 4-6min  
Tank capacity: 1L Wired 3m and wireless controller can select  
Temperature-controlled heating element  
Sturdy metal case Hanging bracket  
Excellent smoke machine with impressive smoke production.  
A Must for every mobile DJ

**SPECIFICATIONS:**  
Voltage: AC120V/230V Frequency: 50-60Hz  
Power Consumption: 800W Dimension: L420x W250x H220mm  
N.W. : 2.8kg G.W. : 3.3kg



## GK003 1200W FOG MACHINE

**Features:**  
1200 Watt Heater  
Warm up time: approx 8 min Thermal control system  
Output: 10,000 cu.ft/min Tank Capacity: 2 Litre  
Wired 3m and wireless controller can select  
Includes hanging bracket

**SPECIFICATIONS:**  
Voltage: AC120V/230V Frequency: 50-60Hz  
Power Consumption: 1200W  
Dimension: L520x W300x H240mm  
N.W. : 5kg  
G.W. : 5.6kg



## GK004 1500W FOG MACHINE

**Features:**  
1500 Watt Heater  
Warm up time: approx 8 min  
Thermal control system  
Output: 15,000 cu.ft/min  
Tank Capacity: 2.3 Litre  
Wired 3m and wireless controller can select  
Includes hanging bracket

**SPECIFICATIONS:**  
Voltage: AC120V/230V Frequency: 50-60Hz  
Power Consumption: 1500W Dimension: L560x W330x H260mm  
N.W. : 5.5kg G.W. : 6.3kg



## GK005 3000W INTELLIGENT FOG MACHINE

**Features:**  
3000 Watt Heater  
Time and ration control fogger Warm up time: approx 12 min  
Thermal control system Output: 30,000 cu.ft/min  
Tank Capacity: 10Litre Connections: 3-PinXLR  
Function: DMX control Includes multi-function remote control  
with LCD display

**Specifications:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power consumption: 3000W  
Dimensions: L710 x W380 x H320mm Weight: 14Kgs




## GK006 1500W Vertical FOG MACHINE

**Features:**  
1500W Vertical high output fog machine Warm Up Time: 8 min  
Control: DMX-512 or supplied remote  
DMX operation controls output of fog (1 DMX channel)  
2 litre removable fog fluid tank Fog output: 20,000cu. ft. per minute  
Uses standard fog fluid  
Connection: 3 pin XLR for DMX or Master/Slave linking

**Specification:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1500W Dimensions: L400\*W360\*H240mm  
Weight: 6.5Kgs



# FOG MACHINE



## GK007A 1500W ICE LOW FOG MACHINE

**Features:**  
1500W Vertical high output fog machine  
Warm up time: 8 minutes  
Control: DMX-512 or supplied remote  
DMX operation controls output of fog (1 DMX channel)  
2.5 litre removable fog fluid tank  
Fog output: 20,000 cu. ft. per minute  
Uses standard fog fluid  
Connection: 3 pin XLR for DMX or Master/Slave linking

**Specification:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1500W Dimension: L700×W370×H480mm  
N.W.: 18kg G.W.: 18.6kg



## GK007B 3000W ICE LOW FOG MACHINE

**Features:**  
3000 watt heater  
Warm Up Time: 10min Tank Capacity: 2.5L  
Smoke output: 40000CFM/min Coverage Capacity: 100M2  
DMX operation controls output of fog (1 DMX channel)  
Timer and ration control fogger

**SPECIFICATIONS:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1500W Dimension: L845×W475×H470mm  
Gross Weight: 25kgs



## GK008A 1200W FOG MACHINE

**Features:**  
1200 Watt heater  
Electronic temperature control Warm up time: approx 8min  
Thermal control system Output: 12,000 cu. ft/min  
Tank Capacity: 2 Litre Wired 3m and wireless controller include  
Includes hanging bracket

**SPECIFICATIONS:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1200W Dimensions: L455xW290xH260mm  
Weight: 5.6kg



## GK008B 1500W FOG MACHINE

**Features:**  
1500 Watt heater  
Electronic temperature control Warm up time: approx 8min  
Thermal control system Output: 16,000 cu. ft/min  
Tank Capacity: 2.5 Litre Wired 3m and wireless controller include  
Includes hanging bracket

**SPECIFICATIONS:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1200W  
Dimensions: L455xW290xH260mm Weight: 6.2kg



## GK010 1500W INTELLIGENT FOG MACHINE

**Features:**  
1500W Vertical high output fog machine  
Warm Up Time: 8 min Control: DMX-512 or supplied remote  
DMX operation controls output of fog (1 DMX channel)  
2 litre removable fog fluid tank Fog output: 20,000 cu. ft. per minute  
Uses standard fog fluid Connection: 3 pin XLR for DMX

**Specification:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1500W Dimensions: L510\*W350\*H230mm  
Weight: 6.5Kgs



## GK012 1500W MULTI-POSITION FOG MACHINE

**Features:**  
1500 Watt heater  
Time and ration control fogger Warm Up Time: 10min  
Control: DMX-512 or supplied remote  
DMX operation controls output of fog (1 DMX channel)  
2.5 litre removable fog fluid tank Fog output: 20,000 cu. ft. per minute  
Uses standard fog fluid Connection: 3 pin XLR for DMX  
Great for theatrical and studio application, large halls, concerts, DJ touring, and clubs.

**Specification:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1500W Dimensions: L450\*W390\*H250mm  
Weight: 6.3Kgs

# FOG HAZE



## GK009 1200W HAZE MACHINE

**Features:**  
1200 Watt heater Time and ration control fogger  
Warm Up Time: 12 min  
Control: DMX-512 or supplied remote  
DMX operation controls output of fog (1 DMX channel)  
1 litre removable fog fluid tank  
Fog output: 15,000 cu. ft. per minute  
Uses standard fog fluid Connection: 3 pin XLR for DMX  
Great for theatrical and studio application, large halls, concerts, DJ touring, and clubs

**Specification:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1200W Dimensions: L650\*W280\*H320mm  
Weight: 8.3Kgs



## GK011 2000W INTELLIGENT FOG MACHINE

**Features:**  
2000 Watt Heater Time and ration control fogger  
Warm up time: approx 11 min Thermal control system  
Output: 25,000 cu. Ft/min Tank Capacity: 5 Litre  
Connections: 3-Pin XLR Function: DMX control  
Includes multi-function remote control

**Specifications:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power consumption: 2000W Dimensions: L480\*W320\*H260mm  
G.W: 10.5KG



## GK013 900W FOG MACHINE

**Features:**  
900 watt heater  
Electronic temperature control  
Smoke output: 8,000 cu. ft per minute  
Warm up time: approx. 5 min Tank capacity: 1L  
Wired 3m and wireless controller include  
Temperature-controlled heating element Hanging bracket  
Excellent smoke machine with impressive smoke production.  
A Must for every mobile DJ

**SPECIFICATIONS:**  
Voltage: AC120V/230V Frequency: 50-60Hz  
Power Consumption: 900W Dimension: L330×W260×H230mm  
N.W.: 3.6kg G.W.: 4.0kg



## GK014 1500W EFFECT MACHINE

**Features:**  
1500 Watt heater Time and ration control fogger  
Warm Up Time: 12 min Control: DMX-512 or supplied remote  
Includes multi-function remote control with LCD display  
DMX operation controls output of fog (1 DMX channel)  
2.5 litre removable fog fluid tank  
Fog output: 15,000 cu. ft. per minute  
Uses standard fog fluid Connection: 3 pin XLR for DMX  
Great for theatrical and studio application, large halls, concerts, DJ touring, and clubs

**Specification:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1500W Dimensions: L730\*W380\*H380mm  
Weight: 23Kgs



## GK015 1500W FAINT HAZE MACHINE

**Features:**  
1500 Watt heater Time and ration control fogger  
Warm Up Time: 4 min Control: DMX-512 or supplied remote  
Includes multi-function remote control with LCD display  
DMX operation controls output of fog (1 DMX channel)  
2.5 litre removable fog fluid tank  
Fog output: 5,000 cu. ft. per minute Uses standard fog fluid  
Connection: 3 pin XLR for DMX  
Great for theatrical and studio application, large halls, concerts, DJ touring, and clubs.

**Specification:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 1500W Dimensions: L550\*W280\*H280mm  
Weight: 10.5Kgs





## GK016 2000W MULTI POSITION FOG MACHINE

**Features:**  
2000 Watt heater Time and ration control fogger  
Warm Up Time: 10 min Control: DMX-512 or supplied remote  
DMX operation controls output of fog (1 DMX channel)  
5 litre removable fog fluid tank  
Fog output: 20,000 cu. ft. per minute Uses standard fog fluid  
Connection: 3 pin XLR for DMX  
Great for theatrical and studio application, large halls, concerts, DJ touring, and clubs. Manually adjustable output angles (180°)  
Wired timer remote included

**Specification:**  
Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 2000W Dimensions: L580\*W350\*H370mm  
Weight: 12Kgs



# SNOW BUBBLE CONFETTI




## GLOO1 BUBBLE MACHINE

### Feature:

Portable high output bubble machine - creates hundreds of bubbles per minute. Durable metal casing with front fluid tank. High velocity fan. Output distance 2.0M. 16 bubble wands are fitted to make bubbles rise in the air. ON/OFF switch. Hanging bracket. Most types of bubble liquid acceptable. GREAT TO USE AT PARTIES, SPECIAL EVENTS, DANCE, STAGES.

### SPECIFICATIONS

Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 25W Fuse: 1A  
Motor: AC110V/230V/20RPM Liquid Consumption: 1.2L/h  
Dimension: L220\*W220\*H240mm G.W: 3KG



## GLOO2 BIG BUBBLE MACHINE

### Feature:

Portable high output bubble machine - creates hundreds of bubbles per minute. Durable metal casing with front fluid tank. High velocity fan. Output distance 5.0M. double wheel bubble wands are fitted to make bubbles rise in the air. Control: remote controller or manual controller. Most types of bubble liquid acceptable. GREAT TO USE AT PARTIES, SPECIAL EVENTS, DANCE, STAGES.

### SPECIFICATIONS

Voltage: AC110V/230V, 50/60Hz Frequency: 50-60Hz  
Power Consumption: 100W Motor: DC12V 45RPM\*2  
Liquid Consumption: 4.8L/h Dimension: L450\*W390\*H410mm  
G.W: 14.5KG



## GLOO4 1200W SNOW MACHINE

### Features:

1200 watt Turbo Fan  
Tank Capacity: 5 Litre  
Liquid Consumption: 12L/h  
Includes remote control can enlarge and lessen the snowflake anytime.  
Voltage: AC110V/230V  
Frequency: 50-60Hz  
Power Consumption: 1200W  
Dimension: L600 x W370 x H370mm  
G.W.: 9.5kg



## GLOO7 CONFETTI MACHINE

### Feature:

Used in all kinds of celebrations, the searching distance is 20 meters; can handle many color papers and color belts, with the help of air it sprays the paper and belts; it is a wonderful show.

### SPECIFICATIONS

Voltage: AC110V/230V Frequency: 50-60Hz  
Power Consumption: 150W Stored volume: 0.8-1.5Mpa  
Spray distance: 20m Outline Size: L270\*W220\*H340mm  
Packing Size: L510\*W260\*H370mm  
N.W: 5.5KG G.W: 6.8KG



## GLOO8 1200W DMX SNOW MACHINE

### Features:

1200 watt Turbo Fan  
Control: DMX-512 or supplied remote  
DMX operation controls output of snow  
Tank Capacity: 5 Litre  
Liquid Consumption: 12L/h  
Includes remote control can enlarge and lessen the snowflake anytime.  
Voltage: AC110V/230V  
Frequency: 50-60Hz  
Power Consumption: 1200W  
Dimension: L600 x W370 x H370mm  
G.W.: 10.5kg

# STROBE



## GF001 1500W DMX STROBE LIGHT

### Feature

Powerful 1500W DMXstrobe light  
Works Stand Alone or DMX  
Adjustable 1-15 Flashes per Second  
Adjustable Dimmer Rate 0-100%  
2 DMX channels for speed and dimmer  
Speed and dimmer control knob  
on rear of unit  
Electronic temperature control  
against over heat

### SPECIFICATIONS:

Power: AC220V/50 Hz  
Power Consumption: 1500W  
Fuse: 15A Lamp: XOP15, 1500W  
Control Signal: DMX512  
Dimensions: L530\*W300\*H190mm  
N.W: 3.65KG G.W: 4.4KG



## GF002 1500W DIMMER STROBE LIGHT

### Feature

Powerful 1500W DMXstrobe light  
Works Stand Alone  
Adjustable 1-15 Flashes per Second  
Adjustable Dimmer Rate 0-100%  
Speed and dimmer control knob  
on rear of unit  
Electronic temperature control  
against over heat

### SPECIFICATIONS:

Power: AC220V/50 Hz  
Power Consumption: 1500W  
Fuse: 15A Lamp: XOP15, 1500W  
Control Signal: DMX512  
Dimensions: L530\*W300\*H190mm  
N.W: 3.65KG G.W: 4.4KG



## GF003 750W DMX STROBE LIGHT

### Feature

Powerful 750W DMXstrobe light  
Works Stand Alone or DMX  
Adjustable 1-12 Flashes per Second  
Adjustable Dimmer Rate 0-100%  
2 DMX channels for speed and dimmer  
Speed and dimmer control knob  
on rear of unit  
Electronic temperature control  
against over heat

### SPECIFICATIONS:

Power: AC110V/220V, 50/60Hz  
Power Consumption: 750W  
Fuse: 10A Lamp: XOP7, 750W  
Control Signal: DMX512  
Dimensions: L380\*W280\*H190mm  
N.W: 3KG G.W: 3.4KG



## GF006A COLOR STROBE LIGHT

### Feature:

Lightweight high-tech plastic case  
Interchangeable plastic colored  
lenses can select  
Colors: red, yellow, blue, green,  
and clear  
Flash speed adjustable by knob  
button

### SPECIFICATIONS:

Power: AC110V/220V, 50/60Hz  
Power Consumption: 75W  
Fuse: 3A Lamp: 75W xenon  
Control Signal: Manual/Easy  
controller (order)  
Color: R, Y, B, G, W  
Carton Size: L220\*W220\*H340mm  
N.W: 1.1KG G.W: 1.4KG



## GF007 MINI STROBE LIGHT

### Feature:

Lightweight high-tech plastic case  
Flashrate adjustable (1-10 flashes/sec.)  
Flash speed adjustable by knob button  
Perfect for decorations or party-rooms

### SPECIFICATIONS:

Power: AC110V/220V, 50/60Hz  
Power Consumption: 20W  
Lamp: 20W xenon  
Flash-rate: max. 10 Hz  
Carton Size: L130\*W100\*H100mm  
N.W: 0.3KG  
G.W: 0.4KG



## GF3000N 3000W DMX STROBE LIGHT

### Feature:

Strong Aluminum body design  
High powerful 3000W DMXstrobe light  
Color temperature: 5,600K  
Works DMX, stand-alone, and  
master/slave 4 channels dmX, flash  
intensity, flash duration,  
flash rate and pre-programmed effects  
Adjustable 1-25 Flashes per Second  
Adjustable Dimmer Rate 0-100%  
Continuous blinder effects with auto fade  
Quiet temperature-controlled fan cooling  
Smart integrated heat control  
eliminates cool down time  
Pre-programmed special effects

### SKILL SPECIFICATIONS:

Power: AC220V/50 Hz  
Power Consumption: 3000W  
Fuse: 20A  
Lamp: xenon discharge 3000W  
Control Signal: DMX/Manual  
Carton Size: L540\*W360\*H240mm  
N.W: 7.5KG G.W: 8.5KG



## GMO11 LED MINI STROBE LIGHT

### Feature:

Lightweight high-tech plastic case  
Flashrate adjustable (1-10 flashes/sec.)  
Flash speed adjustable by knob button  
Perfect for decorations or party-rooms

### SPECIFICATIONS:

Power: AC110V/220V, 50/60Hz  
Power Consumption: 5W  
Light source: 24 pcs 5mm ultra bright white leds  
Flash-rate: max. 10Hz  
Carton Size: L130\*W100\*H100mm  
N.W: 0.3KG G.W: 0.4KG



## GMO65 LED WHITE STROBE LIGHT

### Feature:

Lightweight high-tech plastic case  
Flashrate adjustable (1-10 flashes/sec.)  
Flash speed adjustable by knob button  
Very low power consumption  
Very low heat without fan  
Perfect for decorations or party-rooms

### SPECIFICATIONS:

Power: AC110V/220V, 50/60Hz  
Power Consumption: 10W  
Light source: 62 pcs 10mm high  
brightness White LEDs  
Flash-rate: max. 10Hz  
Carton Size: L150\*W150\*H200mm  
Weight: 0.8KG





## Disco 192 DMX512 controller

### Features:

192 DMX channels 12 Scanners of 16 channels each  
30 Banks of 8 programmable scenes 6 Programmable chases of 240 scenes  
8 Sliders for manual control of channels  
Automatic mode program controlled by speed and fade time sliders  
Fade time /speed Blackout master button  
Reversible DMX channels allows fixture to react opposite to others in a chase  
Manual override allows you to grab any fixture on the fly  
Built-in microphone for music triggering MIDI control over banks, chases, and blackout  
DMX polarity selector Power failure memory 4 bit LED display

### Specifications:

Voltage: AC220V/50Hz (DC9V-12V) Electric current: no less than 300mA  
Power Consumption: 10W Control Signal: DMX512  
Control Channels: 192CH Carton Size: L570\*W180\*H118mm  
N.W: 2.3KG G.W: 2.8KG



## Disco 384 DMX512 controller

### Features:

384 DMX channels DMX512/1990 Standard  
Controls 24 intelligent lights of up to 16 channels 30 Banks of 8 programmable scenes  
6 Programmable chases of 240 scenes Record up to 6 chases with fade time and speeds  
16 sliders for direct control of channels MIDI control over banks, chases and blackout  
Built-in microphone for music mode  
Automatic mode program controlled by speed and fade time sliders  
Blackout master button  
Reversible DMX channels allows fixture to react opposite to others in a chase  
Manual override allows you to grab any fixture on the fly  
Built-in microphone for music triggering MIDI control over banks, chases, and blackout  
DMX polarity selector Power failure memory  
4 bit LED display DMX in/out: 3 pin XRL LED gooseneck lamp

### Specifications:

Voltage: AC220V/50Hz (DC9V-12V) Electric current: no less than 500mA  
Power Consumption: 10W Control Signal: DMX512  
Control Channels: 384CH Carton Size: L610\*W210\*H140mm  
N.W: 3.2KG G.W: 3.6KG



## NEW Disco 192 DMX512 controller

### Features:

192 DMX channels  
DMX512/1990 Standard Controls 12 intelligent lights of up to 16 channels  
30 Banks of 8 programmable scenes 6 Programmable chases of 240 scenes  
Record up to 6 chases with fade time and speeds 16 sliders for direct control of channels  
MIDI control over banks, chases and blackout  
Built-in microphone for music mode  
Automatic mode program controlled by speed and fade time sliders  
Blackout master button  
Reversible DMX channels allows fixture to react opposite to others in a chase  
Manual override allows you to grab any fixture on the fly  
Built-in microphone for music triggering MIDI control over banks, chases, and blackout  
DMX polarity selector Power failure memory  
4 bit LED display DMX in/out: 3 pin XRL LED gooseneck lamp

### Specifications:

Voltage: AC220V/50Hz (DC9V-12V) Electric current: no less than 500mA  
Power Consumption: 10W Control Signal: DMX512  
Control Channels: 192CH Carton Size: L610\*W210\*H140mm  
N.W: 3KG G.W: 3.4KG

## GOLDEN2048 Peral 2010 DMX CONTROLLER

### Features:

2048 DMX channels DMX512/1990 Standard Controls 240 intelligent Fixtures  
240 Dimmer Control Channels. Removable external Memory Stick.  
6 Programmable chases of 240 scenes  
Cache the entire Fixture library of more than 3,000 files  
Improved method of Fixture selection for Patching  
Fixture Selects (selecting the top row of faders)  
Theatrical Plotting and Playback functions.  
Shape Generator for instant creation of patterns and effects.  
MIDI and Bass, Mid, Treble sound to light triggers.  
Reversible DMX channels allows fixture to react opposite to others in a chase  
15 Playback Masters controlling 450 memories, chases or cue lists.  
Built-in microphone for music triggering  
MIDI control over banks, chases, and blackout  
Green switch power supply installed internally with high performance  
Applicable voltage scope: 90 to 250V  
4-output interface with optical isolation can withstand 2000 Vrms  
320x240 pixels big screen displays all operations, changes and outputs  
USB memory can save the data in live effectively

### Specifications:

Voltage: AC90V-250V/50-60Hz Power Consumption: 10W Control Signal: DMX 512  
Control Channels: 2048CH Packing Size: L730xW590xH160cm G.W: 25KG



## Guangzhou Ever Famous Electronic Co., Ltd

---

Add : 3/F, Building A1, 3rd Longhu Industrial Area, Shijing Avenue,  
Shijing Town, BaiYun District, Guangzhou City, P.R.C  
Tel : 86-020-86256566/22073785/22073786  
FAX : 86-020-86256516  
Contact : Andy Wong (Direct:13302277566)  
E-mail : goldbright@goldbright.com.cn  
Website : [Http://www.goldbright.com.cn](http://www.goldbright.com.cn)

---

Skype : goldbright.light  
Msn : goldbright@hotmail.com  
google talk : goldbright2002@gmail.com  
AIM : goldbrightlight@aol.com  
Yahoo : goldbright\_light@yahoo.com.cn  
QQ : 375705281

© Copyright by GOLDBRIGHT 2005-2011